

STANDARD ARRIVAL CHART —
INSTRUMENT (STAR) — ICAO


TRANSITION LEVEL
FL 150
TRANSITION ALTITUDE
13000 ft

APP 128.9
TWR 118.1

AMMAN/Amman City Airport (OJAM)

RNAV RWY 06

SOBAK 1L RABES 1L LOSIL 1L LUDAN 1L
MUNRA 1L RALNA 1L RALNA 1Q



CHANGE: Name of the AD

ARRIVAL TEXTS for RNAV STAR RWY06

STAR RALNA 1L

From RALNA at or above 9000 FT and maximum 250 KIAS to ORGAB (IAF) at or above 5200 FT and maximum 210 KIAS.

STAR RALNA 1Q

From RALNA at or above 9000 FT and maximum 250 KIAS to MUSAL (IAF) at or above 6000 FT.

STAR LUDAN 1L

From LUDAN at or above 11000 FT to LONIN maximum 250 KIAS to ORDUN at or above 8500 FT to AI810 to EMILO (IAF) at or above 6000 FT and maximum 210 KIAS.

STAR SOBAK1L

From SOBAK at or above 7000 FT and maximum 250 KIAS to RIDEX to KIVAL maximum 250 KIAS to EMILO (IAF) at or above 6000 FT and maximum 210 KIAS.

STAR RABES1L

From RABES at or above FL 150 to AM828 to KIVAL maximum 250 KIAS to EMILO (IAF) at or above 6000 FT and maximum 210 KIAS.

STAR LOSIL 1L

From LOSIL at or above 10000 FT to ORSAD to AM438 at or above 7000 FT to KIVAL maximum 250 KIAS to EMILO (IAF) at or above 6000 FT and maximum 210 KIAS.

STAR MUNRA 1L

From MUNRA at or above FL 260 to ORSAD to AM438 at or above 7000 FT to KIVAL maximum 250 KIAS to EMILO (IAF) at or above 6000 FT and maximum 210 KIAS.

Holding instruction

Path Descriptor	Waypoint Identifier	Inbound Course °M (°T)	Leg Distance	Turn direction	Minimum Altitude (ft/FL)	Maximum Altitude (ft/FL)	Speed Limit (kt)	Magnetic Variation	Navigation Specification
Hold	ORGAB	059 (064.0)	1 min	L	5200	11000	210	+5.0	RNAV 1
Hold	EMILO	329 (334.0)	1 min	L	6000	14000	210	+5.0	RNAV 1

Route Description: RNAV STAR RWY06

STAR RALNA 1Q											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft/FL)	MAX IAS (kt)	VPA/TCH (°/ft)	Navigation Accuracy (NM)
10	IF	RALNA	-	-	-	-	-	+9000	-250	-	RNAV 1
20	TF	MUSAL	-	074 (078.8)	+5.0	11.2	-	+6000	-	-	RNAV 1
STAR RALNA 1L											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft/FL)	MAX IAS (kt)	VPA/TCH (°/ft)	Navigation Accuracy (NM)
10	IF	RALNA	-	-	-	-	-	+9000	-250	-	RNAV 1
20	TF	ORGAB	-	095 (100.1)	+5.0	13.3	-	+5200	-210	-	RNAV 1
STAR LUDAN 1L											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft/FL)	MAX IAS (kt)	VPA/TCH (°/ft)	Navigation Accuracy (NM)
10	IF	LUDAN	-	-	-	-	-	+11000	-	-	RNAV 1
20	TF	LONIN	-	225 (230.0)	+5.0	15.5	-	-	-250	-	RNAV 1
30	TF	ORDUN	-	257 (261.5)	+5.0	10.2	-	+8500	-	-	RNAV 1
40	TF	AI810	-	258 (262.7)	+5.0	10.6	-	-	-	-	RNAV 1
50	TF	EMILO	-	258 (262.6)	+5.0	7.3	-	+6000	-210	-	RNAV 1
STAR SOBAK 1L											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft/FL)	MAX IAS (kt)	VPA/TCH (°/ft)	Navigation Accuracy (NM)
10	IF	SOBAK	-	-	-	-	-	+7000	-250	-	RNAV 1
20	TF	RIDEX	-	261 (265.7)	+5.0	13.1	-	-	-	-	RNAV 1
30	TF	KIVAL	-	261 (265.6)	+5.0	13.6	-	-	-250	-	RNAV 1
40	TF	EMILO	-	329 (333.4)	+5.0	13.7	-	+6000	-210	-	RNAV 1

STAR RABES 1L											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft/FL)	MAX IAS (kt)	VPA/TCH (°/ft)	Navigation Accuracy (NM)
10	IF	RABES	-	-	-	-	-	+FL150	-	-	RNAV 1
20	TF	AM828	-	276 (280.9)	+5.0	14.0	-	-	-	-	RNAV 1
30	TF	KIVAL	-	276 (280.7)	+5.0	14.6	-	-	-250	-	RNAV 1
40	TF	EMILO	-	329 (333.4)	+5.0	13.7	-	+6000	-210	-	RNAV 1
STAR MUNRA 1L											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft/FL)	MAX IAS (kt)	VPA/TCH (°/ft)	Navigation Accuracy (NM)
10	IF	MUNRA	-	-	-	-	-	+FL260	-	-	RNAV 1
20	TF	ORSAD	-	330 (334.4)	+5.0	20.6	-	-	-	-	RNAV 1
30	TF	AM438	-	354 (359.2)	+5.0	20.7	-	+7000	-	-	RNAV 1
40	TF	KIVAL	-	354 (359.2)	+5.0	7.7	-	-	-250	-	RNAV 1
40	TF	EMILO	-	329 (333.4)	+5.0	13.7	-	+6000	-210	-	RNAV 1
STAR LOSIL 1L											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft/FL)	MAX IAS (kt)	VPA/TCH (°/ft)	Navigation Accuracy (NM)
10	IF	LOSIL	-	-	-	-	-	+10000	-	-	RNAV 1
20	TF	ORSAD	-	020 (024.9)	+5.0	21.5	-	-	-	-	RNAV 1
30	TF	AM438	-	354 (359.2)	+5.0	20.7	-	+7000	-	-	RNAV 1
40	TF	KIVAL	-	354 (359.2)	+5.0	7.7	-	-	-250	-	RNAV 1
50	TF	EMILO	-	329 (333.4)	+5.0	13.7	-	+6000	-210	-	RNAV 1

Aeronautical Data Tabulation: RNAV STAR RWY06

WAYPOINT LIST		
Waypoint / Fix	Latitude	Longitude
RALNA	31°55'57.000"N	035°32'33.000"E
MUSAL	31°58'06.720"N	035°45'25.610"E
ORGAB	31°53'35.594"N	035°47'58.534"E
SOBAK	31°38'51.600"N	036°28'49.710"E
RIDEX	31°37'52.231"N	036°13'33.985"E
RABES	31°31'29.090"N	036°30'35.113"E
AM828	31°34'06.795"N	036°14'29.517"E
KIVAL	31°36'48.697"N	035°57'44.086"E
EMILO	31°49'05.530"N	035°50'32.710"E
LOSIL	30°48'51.2000"N	035°47'41.3100"E
MUNRA	30°49'44.290"N	036°08'34.880"E
ORSAD	31°08'20.6880"N	035°58'13.4870"E
AM438	31°29'05.9870"N	035°57'52.0810"E
LUDAN	32°02'56.600"N	036°37'13.290"E
LONIN	31°52'56.140"N	036°23'14.710"E
ORDUN	31°51'24.020"N	036°11'21.010"E
AI810	31°50'02.605"N	035°59'03.199"E