

**THE HASHEMITE KINGDOM OF JORDAN  
CIVIL AVIATION REGULATORY COMMISSION  
DIRECTORATE OF AIR TRAFFIC MANAGEMENT  
AERONAUTICAL INFORMATION SERVICES  
HEADQUARTERS  
P. O. BOX : 7547 - AMMAN**

**PHONE : +962 6 4872681**  
**FAX: +962 6 4891266**  
**AFS : OJAMYHYX**  
**E-mail: [ais.hq@carc.gov.jo](mailto:ais.hq@carc.gov.jo)**  
**Website: [www.carc.jo](http://www.carc.jo)**

**AIP JORDAN  
AMENDMENT 66/2012  
01 NOV 2012**

**1. Insert the attached new or replacement pages dated 01 NOV 2012 in accordance with the new checklist, new or replacement pages are indicated by a star \* against the relevant page numbers in the checklist.**

→ **This bar and arrow are inserted on reprint pages to indicate any changes that have been incorporated**

**2. Record entry of Amendment on page GEN 0.2-1.**

<b>PAGES TO BE DESTROYED</b>		<b>PAGES TO BE INSERTED</b>	
<b>GEN0</b>		<b>GEN0</b>	
<b>0.4-1</b>	<b>01 AUG 2012</b>	<b>0.4-1</b>	<b>01 NOV 2012</b>
<b>0.4-2</b>	<b>01 AUG 2012</b>	<b>0.4-2</b>	<b>01 NOV 2012</b>
<b>GEN 1</b>		<b>GEN 1</b>	
<b>1.7-3</b>	<b>01 MAY 2012</b>	<b>1.7-3</b>	<b>01 NOV 2012</b>
<b>AD1</b>		<b>AD 1</b>	
<b>1.5-1</b>	<b>01 FEB 2011</b>	<b>A.5-1</b>	<b>01 NOV 2012</b>
<b>AD 2 OJAQ</b>		<b>AD2 OJAQ</b>	
<b>2.6</b>	<b>01 FEB 2011</b>	<b>AD2.6</b>	<b>01 NOV 2012</b>
<b>2.7</b>	<b>01 FEB 2011</b>	<b>AD2.7</b>	<b>01 NOV 2012</b>



001

**AIS HEADQUARTERS**

GEN 0.4 CHECK LIST OF AIP PAGES

Page	Date	Page	Date	Page	Date
PART 1 – GENERAL (GEN)		2.3-4	01 NOV 2006	4.1-2	01 AUG 2012
GEN 0		2.3-5	01 NOV 2006	4.1-3	01 AUG 2012
0.1-1	01 NOV 2010	2.4-1	01 FEB 2010	4.1-4	01 AUG 2012
0.1-2	01 NOV 2010	2.5-1	01 AUG 2011	4.1-5	01 NOV 2010
0.1-3	01 NOV 2010	2.6-1	01 MAY 2007	4.1-6	01 NOV 2010
0.2-1	01 AUG 2009	2.6-2	01 MAY 2007	4.1-7	01 NOV 2010
0.2-2	01 MAY 2008	2.7-1	01 NOV 2011	4.1-8	01 NOV 2010
0.3-1	01 FEB 2012	2.7-2	01 NOV 2011	4.2-1	01 NOV 2010
*0.4-1	01 NOV 2012	2.7-3	01 NOV 2011	4.2-2	01 NOV 2010
*0.4-2	01 NOV 2012	2.7-4	01 NOV 2011		
0.5-1	01 NOV 2006	2.7-5	01 NOV 2011	PART 2 – EN – ROUT (ENR)	
0.6-1	01 NOV 2006	GEN 3		ENR 0	
0.6-2	01 NOV 2006	3.1-1	01 NOV 2010	0.6-1	15 DEC 2011
		3.1-2	01 MAY 2011	0.6-2	15 DEC 2011
GEN 1		3.1-3	01 MAY 2010		
1.1-1	01 NOV 2010	3.1-4	01 MAY 2010	ENR 1	
1.2-1	01 MAY 2008	3.1-5	01 MAY 2010	1.1-1	01 MAY 2008
1.2-2	01 MAY 2008	3.1-6	01 MAY 2012	1.1-2	01 MAY 2008
1.2-3	01 MAY 2012	3.1-7	01 AUG 2009	1.1-3	01 MAY 2008
1.3.1	01 MAY 2011	3.2-1	01 NOV 2010	1.2-1	01 MAY 2008
1.3.2	01 MAY 2011	3.2-2	01 NOV 2010	1.2-2	01 MAY 2008
1.4.1	01 MAY 2011	3.2-3	01 FEB 2010	1.2-3	01 NOV 2010
1.5-1	01 MAY 2010	3.2-4	15 DEC 2011	1.3-1	01 FEB 2012
1.6-1	01 MAY 2011	3.2-5	01 FEB 2011	1.4-1	01 FEB 2007
1.7-1	01 NOV 2011	3.3-1	01 NOV 2010	1.5-1	01 AUG 2009
1.7-2	01 FEB 2011	3.3-2	15 DEC 2011	1.5-2	01 FEB 2007
*1.7-3	01 NOV 2012	3.3-3	01 AUG 2011	1.5-3	01 FEB 2007
1.7-4	01 NOV 2010	3.4-1	01 NOV 2010	1.5-4	01 FEB 2007
1.7-5	01 NOV 2010	3.4-2	01 NOV 2010	1.5-5	01 MAY 2008
1.7-6	01 NOV 2010	3.4-3	01 FEB 2010	1.5-6	01 AUG 2009
GEN 2		3.4-4	01 FEB 2010	1.5-7	01 AUG 2009
2.1-1	01 NOV 2010	3.5-1	01 MAY 2009	1.5-8	01 AUG 2009
2.1-2	01 MAY 2011	3.5-2	01 AUG 2009	1.5-9	01 FEB 2007
2.1-3	01 NOV 2010	3.5-3	01 FEB 2010	1.5-10	01 FEB 2007
2.2-1	01 NOV 2010	3.5-4	01 FEB 2010	1.5-11	01 MAY 2010
2.2-2	01 NOV 2010	3.5-5	01 NOV 2007	1.5-12	01 FEB 2012
2.2-3	01 NOV 2010	3.5-6	01 NOV 2006	1.5-13	01 FEB 2012
2.2-4	01 NOV 2010	3.5-7	01 NOV 2006	1.5-14	01 FEB 2012
2.2-5	01 NOV 2010	3.5-8	01 NOV 2006	1.5-15	01 FEB 2012
2.2-6	01 NOV 2010	3.5-9	01 NOV 2006	1.5-16	15 DEC 2011
2.2-7	01 NOV 2010	3.5-10	01 NOV 2006	1.5-17	01 FEB 2012
2.2-8	01 NOV 2010	3.5-11	01 NOV 2006	1.5-18	01 FEB 2012
2.2-9	01 NOV 2010	3.5-12	01 NOV 2006	1.5-19	01 FEB 2012
2.2-10	01 NOV 2010	3.5-13	01 NOV 2006	1.5-20	15 DEC 2011
2.2-11	01 NOV 2010	3.5-14	01 NOV 2006	1.5-21	01 FEB 2012
2.2-12	01 NOV 2010	3.5-15	01 NOV 2006	1.5-22	15 DEC 2011
2.2-13	01 NOV 2010	3.5-16	01 NOV 2006	1.5-23	01 FEB 2012
2.2-14	01 NOV 2010	3.5-17	01 NOV 2006	1.5-24	01 FEB 2012
2.2-15	01 NOV 2010	3.5-18	01 FEB 2010	1.5-25	01 FEB 2010
2.2-16	01 NOV 2010	3.5-19	01 FEB 2010	1.5-26	01 FEB 2010
2.2-17	01 NOV 2010	3.5-20	01 FEB 2010	1.6-1	01 MAY 2008
2.2-18	01 NOV 2010	3.5-21	01 FEB 2010	1.6-2	01 MAY 2008
2.2-19	01 NOV 2010	3.5-22	01 FEB 2010	1.6-3	01 AUG 2011
2.2-20	01 NOV 2010	3.6-1	01 AUG 2011	1.6-4	01 AUG 2011
2.3-1	01 NOV 2006	3.6-2	01 AUG 2011	1.6-5	01 AUG 2011
2.3-2	01 NOV 2006	3.6-3	01 AUG 2011	1.6-7	01 FEB 2007
2.3-3	01 NOV 2006	GEN 4			
		4.1-1	01 AUG 2012		

GEN 0.4 CHECK LIST OF AIP PAGES

Page	Date	Page	Date	Page	Date
1.7-1	01 AUG 2011	4.1-1	01 FEB 2012		
1.7-2	01 NOV 2011	4.2-1	01 MAY 2007	AD 2 (OJAI)	
1.7-3	01 AUG 2011	4.3-1	01 MAY 2007	2.1	01 AUG 2009
1.8-1	01 AUG 2011	4.4-1	15 DEC 2011	2.2	01 MAY 2012
1.8-2	01 AUG 2011	4.5-1	01 MAY 2007	2.3	01 MAY 2009
1.9-1	01 AUG 2011	5.1-1	01 MAY 2012	2.4	01 NOV 2009
1.10-1	01 NOV 2010	5.1-2	01 MAY 2008	2.5	01 AUG 2007
1.10-2	01 MAY 2008	5.2-1	01 NOV 2009	2.6	01 AUG 2009
1.10-3	01 FEB 2007	5.3-1	01 NOV 2009	2.7	01 AUG 2007
1.10-4	01 FEB 2007	5.4-1	01 MAY 2007	2.8	01 NOV 2011
1.10-5	01 FEB 2007	5.5-1	01 NOV 2007	2.9	01 NOV 2011
			01 MAY 2008	2.10	01 AUG 2007
1.10-6	01 FEB 2007	5.6-1	01 MAY 2008	2.11	01 FEB 2010
1.11-1	01 MAY 2012	5.6-2	01 MAY 2008	2.12	01 MAY 2009
1.12-1	01 FEB 2007	5.6-3	01 MAY 2008	2.13	01 AUG 2012
1.12-2	01 FEB 2007	5.6-4	01 MAY 2008	2.14	01 MAY 2012
1.12-3	01 FEB 2007	5.6-5	01 MAY 2008	2.15	01 MAY 2010
1.12-4	01 FEB 2007	6-1	15 DEC 2011	2-19	01 MAY 2009
1.13-1	01 FEB 2007	6-3	01 MAY 2009	2-21	01 MAY 2009
1.14-1	01 MAY 2008	6-7	01 MAY 2009	2-23	01 MAY 2009
1.14-2	01 MAY 2008	6-8	01 MAY 2008	2-25	01 MAY 2009
1.14-3	01 FEB 2007	6-9	01 MAY 2008	2-25A	01 MAY 2006
1.14-4	01 FEB 2007			2-25B	01 MAY 2006
1.14-5	01 FEB 2007	PART 3 - AERODROMES (AD)		2-25C	01 MAY 2006
1.14-6	01 FEB 2007	AD 0		2-27	31 JULY 2008
1.14-7	01 FEB 2007	0.6-1	01 FEB 2010	2-31	15 DEC 2011
2.1-1	01 FEB 2007	0.6-2	01 FEB 2010	2-31A	15 DEC 2011
2.1-2	01 FEB 2007	AD 1		2-31B	15 DEC 2011
2.1-3	01 MAY 2008	1.1-1	01 MAY 2008	2-31C	15 DEC 2011
2.1-4	01 FEB 2009	1.1-2	01 MAY 2008	2-35	15 DEC 2011
2.1-5	01 FEB 2007	1.1-3	01 AUG 2007	2-35A	15 DEC 2011
2.2-1	01 FEB 2007	1.2-1	01 MAY 2008	2-37	01 MAY 2006
3.1-1	01 MAY 2012	1.2-2	01 MAY 2008	2-37A	01 MAY 2006
3.1-2	01 FEB 2012	1.3-1	01 FEB 2010	2037B	01 MAY 2006
3.1-3	01 FEB 2012	1.4-1	01 AUG 2007	2-37C	01 MAY 2006
3.1-4	01 FEB 2012	*1.5-1	01 NOV 2012	2-37D	01 MAY 2006
3.1-5	01 FEB 2012			2-37E	01 MAY 2006
3.1-6	01 MAY 2012	AD 2 ( OJAM)		2-37F	01 MAY 2006
3.1-7	01 MAY 2012	2.1	01 MAY 2009	2.37G	01 MAY 2006
3.2-1	01 MAY 2012	2.2	01 MAY 2009		01 MAY 2008
3.2-2	01 FEB 2012	2.3	01 MAY 2009		
3.2-3	01 FEB 2012	2.4	01 MAY 2009	AD 2 ( OJAI)	
3.2-4	01 FEB 2012	2.5	01 AUG 2007	2.1	01 FEB 2011
3.2-5	01 FEB 2012	2.6	01 AUG 2007	2.2	01 FEB 2011
3.3-1	01 MAY 2012	2.7	01 MAY 2008	2.3	01 FEB 2011
3.3-2	01 FEB 2012	2.8	01 MAY 2008	2.4	01 FEB 2011
3.3-3	01 FEB 2012	2.9	01 NOV 2011	2.5	01 FEB 2011
3.3-4	01 MAY 2012	2.10	01 MAY 2009	*2.6	01 NOV 2012
3.3-5	01 MAY 2012	2.11	01 AUG 2007	*2.7	01 NOV 2012
3.3-6	01 FEB 2012	2-19	01 MAY 2009	2.8	01 FEB 2011
3.3-7	01 FEB 2012	2-23	01 MAY 2009	2.9	01 NOV 2011
3.3-8	01 FEB 2012	2-25	01 MAY 2009	2.10	01 FEB 2011
3.3-9	01 FEB 2012	2-25A	01 MAY 2009	2.11	01 NOV 2009
3.3-10	01 MAY 2012	2-31	15 DEC 2011	2-23	01 AUG 2005
3.3-11	01 FEB 2012	2-31A	15 DEC 2011	2-25	01 AUG 2005
3.4-1	01 FEB 2007	2-35	15 DEC 2011	2-25A	01 MAY 2004
3.5-1	01 FEB 2007	2-35A	15 DEC 2011	2-31	01 MAY 2004
3.6-1	01 FEB 2007	2-37	01 FEB 2002	2-31A	01 MAY 2004
		2-37A	01 FEB 2002	2-37	01 AUG 2005
		2-37B	01 FEB 2002	2-39	01 AUG 2005

9. ANNEX 8- AIRWORTHINESS OF AIRCRAFT: NIL

---

10. ANNEX 9- FACILITATION

- 2.10-1 The presentation of the general declaration is required.
- 2.11 Full names of crewmembers are required to be entered on the general declaration.
- 2.13 Nature of goods required.
- 2.38 Prior permission required.
- 2.9 Passports and Visas; National of all countries are permitted entry into Jordan provided they hold a valid passport with an entry Visa.
- 3.9 Ordinary entrance Visa is granted to non-tourists at Jordan consulates abroad.

NOTE:

A. Citizens of the following states should obtain visas from Jordanian embassies in their respective states:

Iran, Angola, Ethiopia, Uganda, Albania, Pakistan, Botswana, Burkina Faso, Burundi, Chad, Togo, Tanzania, Djibouti, Gabon, Zambia, Sirelanka, Sierra Leone, Somalia, Gambia, Ghana, Ghenya, Tropical Gheniya, Gheniya besaw, Papuan Gheniya Vietnam, Liberia, Philippines, Kenya, Magnolia, Madagascar, Mali, Mozambique, Nepal, Nigeria, India(except tourist, provided that he/she holds more than 1000 USD), Sudan, South Sudan, Cuba, Afghanistan, Cameroon, Belize, Mauritania, Cambodia, Macedonia, Moldavia, Colombia, Arteries, Uzbekistan, middle Africa, Iraq, Congo, Tambia, Laos, Zaire, Moons Islands, Bosnia and Herzegovina, Bangladesh, Niger, Bight of Benin, Cote de voar, Moons islands, Myanmar, Dominican Republic, Guatemala.

B. Citizens of the following states can obtain visas either from Jordanian embassies in their states or upon entry to Jordan:

Malawi, Maldives, Malta, Malaysia, Egypt, Mexico, Norway, Austria, Nicaragua, New Zealand, Haiti, Honduras, Hungary, Netherlands, Hong Kong, USA, Japan, Yemen, Greece, Vatican, France, Venezuela, Finland, Fiji, Cyprus, Qatar, Croatia, Canada, North Korean, South Korean, Costa Rica, Kuwait, Lebanon, Luxemburg, Libya, Zimbabwe, KSA, Salvador, Syria, Sweden, Switzerland, Oman, Grenada, Slovenia, Burma, Poland, Panama, Bolivia, Peru, Thailand, Turkey, Trinidad and Tobago, Czech, Chile, Tunisia, Alger, Denmark, Dominican republic, Rwanda, Spain, Israel, Germany, Indonesia (except labor), Uruguay, Italy, Argentine, Australia, Ecuador, UAE, Iceland, Bahrain, brazil, Brunei, UK, Portugal. United of Micronesia, Andorra, Armenia, Bulgaria, Barbados, Ukraine, Paraguay, Al Bahamas, Bhutan, Tonga, Jamaica, Solomon Islands, Marshals Islands, South Africa, Georgia, San Marino, San Vainest and Grenadier, Saint Christopher, Surinam, china, Kosovo, Latvia, Lithuania, Monaco, Turkmenistan, Tuvalu, Nauru, Saint Lucia, Sao Tome and Principe, Samoa, Antigua and Barbuda, Azerbaijan, Lesotho, Liechtenstein, Belarus, Russia, Romania, Serbia, Montenegro, Estonia, Ireland, seashell, Belgium, Taiwan, Morocco (females between 15-30 should be accompanied by parents or husband), Tajikistan, Uzbekistan, Kerghistan, Kazakhstan, Cape Verde, Crebaty, fanwato, Citizens holding Palestinian documents, Singapore, Cooperative Republic of Guyana, Commonwealth of Dominica.

3.74 Valid Passport and Visa required in this case.

3.75 Valid Passport and Visa required in this case.

**11. ANNEX 10- AERONAUTICAL TELECOMMUNICATIONS: NIL**

---

**12. ANNEX 11 - AIR TRAFFIC SERVICES**

Appendix 4.      ATS Airspace Classification Speed Limitation

Aircraft operating in the vicinity of any Aerodrome shall comply with speed limitation as follows:

- a. Unless otherwise authorized by ATC no person may operate an aircraft at 10000 FT or below at an Indicated Airspeed of more than 250 KT.
- b. Unless otherwise authorized, or required by ATC, no person may operate an aircraft within an airport traffic area at Indicated Airspeed of more than:

1. For propeller engine Aircraft 156 KT.
2. For turbine powered Aircraft 200 KT.
3. No person may operate aircraft in the airspace beneath the lateral limits of any terminal control area at an indicated airspeed of more than 200 KT.

However, if the minimum safe airspeed for any particular operation is greater than the maximum speed prescribed, then the aircraft may be operated at that minimum speed.

Chapter 5          Alerting Service

Para 5.2 Notification of rescue co-ordination centers

- a) Uncertainty phase when:
  - 1) No communication has been received from an aircraft within a period of 15 minutes after the time a communication should have been received, or after 10 minutes from the time an unsuccessful attempt to establish communication with such aircraft was first made, whichever is the earlier.

**13. ANNEX 12 - SEARCH AND RESCUE: NIL**

---

**14. ANNEX 13 - AIRCRAFT ACCIDENT INVESTIGATION: NIL**

---

**15. ANNEX 14 - AERODROMES**

**Volume 1**

Chapter 1

Para 1.3          Certification of Aerodromes

1.3.1            All Jordanian aerodromes open to public use shall be certified in accordance with the Specifications contained in this publication as well as other relevant JCARC and ICAO specifications through JCARC.

1.3.2            A certified aerodrome shall have in operation a safety management system.

AD 1.5 STATUS OF CERTIFICATION OF AERODROMES

<b>Aerodrome name Location Indicator</b>	<b>Validity and date of certification</b>	<b>Remarks</b>
<b>1</b>	<b>2</b>	<b>3</b>
Amman/Queen Alia OJAI	Partially Certified 01 May 2009	Partial Interim operating certificate for South RWY 26L/08R and its active areas.
Amman/ Marka OJAM	Not certified	Scheduled to be certified in May 2010
Aqaba/King Hussein OJAQ	Certified 30 April 2014	Fully Airport operating certificate

OJAQ AD 2.11 METEROLOGICAL INFORMATION PROVIDED		
1	Associated MET Office	Aqaba/King Hussein
2	Hours of service MET Office outside hours	H24 -----
3	Office responsible for TAF preparation Periods of validity	Marka MET Office 18,24
4	Trend forecast Interval of issuance	TAF Every 3 hours
5	Briefing/consultation provided	P, T, FAX
6	Flight documentation Language(s) used	C, TAF Code Form English
7	Charts and other information available for briefing or consultation	SIG, W.C U "Upper" W "Wind" T <sup>0</sup> = TEMP 330,340 390FL and any levels on request
8	Supplementary equipment available for Providing information	FAX
9	ATS units provided with information	Amman FIC, ACC, RCC, ATS
10	Additional information (limitation of service, etc.)	SPECI Warnings

OJAQ 2.12 RUNWAY PHYSICAL CHARACTERISTICS					
Designations RWY NR	True & MAG BRG	Dimensions of RWY (M)	Strength(PCN) and surface of RWY and SWY	THR coordinates and THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
01	019 T ° 014 M °	3000 x 45	Runway PCN 54/F/A/W/U Asphalt Flexible	293552.96627N 350047.95052E  16.2 FT	THR 175 FT (53.3M)
19	199 T ° 194 M °		Stopway Asphalt Flexible	293726.26968N 350120.57876E  16.2 FT	THR 113 FT (34.34M)
Slopes of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
<u>RWY 01</u> 0.65 (3000)	195 x 45	Nil	3375 x 300	900 x 300	Nil
<u>RWY 19</u> 0.65 (3000)	60 x 45	Nil	3375 x 300	900 x 300	Nil

OJAQ AD 2.13 DECLARED DISTANCES					
RWY	TORA	TODA	ASDA	LDA	Remarks
Designator	(M)	(M)	(M)	(M)	
1	2	3	4	5	6
01	3000	3000	3195	3000	Nil
19	3000	3000	3060	3000	Nil



## OJAQ AD 2.14 APPROACH AND RUNWAY LIGHTING

1	RWY Designator	01
2	<b>APPROACH LIGHT</b>	
	TYPE	CAT 1
	LENGTH	900M - colour white
	Intensity	High
3	<b>THR LIGHT</b>	
	COLOUR	Green
	WBAR	Green
4	<b>VASIS</b>	Nil
	(MEHT)	MEHT. 23.6M
	PAPI	4 units 3° left side (Distance 420M from THR)
5	<b>TDZ LIGHT</b>	Nil
6	<b>RWY CENTER LINE LIGHT</b>	
	LENGTH	3000 M
	SPACING	30 M
	COLOUR	White
	INTENSITY	5000 cd
7	<b>RWY EDGE LIGHT</b>	
	LENGTH	3000M
	SPACING	60M
	COLOUR	White
	Intensity	High
8	<b>RWY END LIGHT</b>	
	COLOUR	Red
	WBAR	Nil
9	<b>STOPWAY LIGHT</b>	
	Length	195M
	COLOUR	Red
10	<b>REMARK</b>	Nil
1	<b>RWY Designator</b>	19
2	<b>APPROACH LIGHT</b>	
	TYPE	CAT I
	LENGTH	900M with 5 cross bars
	INTENSITY	20000 cd
3	<b>THR LIGHT</b>	
	COLOUR	Green
	SPACING	3m
	INTENSITY	10000 cd
	WBAR	Nil
4	<b>VASIS</b>	Nil
	(MEHT)	MEHT. 23.6M
	PAPI	4 units 3° left side (Distance 420M from THR)
5	<b>TDZ LIGHT</b>	Nil
6	<b>RWY CENTER LINE LIGHT</b>	
	LENGTH	3000 M
	SPACING	30 M
	COLOUR	White
	INTENSITY	5000 cd
7	<b>RWY EDGE LIGHT</b>	
	LENGTH	3000M
	SPACING	60M
	COLOUR	White
	Intensity	High
8	<b>RWY END LIGHT</b>	
	COLOUR	Red
	WBAR	Nil
9	<b>STOPWAY LIGHT</b>	
	LENGTH	60 M
	COLOUR	Red
10	<b>REMARK</b>	Nil

<b>OJAQ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY</b>		
1	ABN/IBN Location, Characteristics and hours of operation	<u>IBN</u> : NIL <u>ABN</u> : On the top of Tower , FLG G+W , HN+IMC, H24
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	Edge: All TWY Centre line: Not available
4	Secondary power supply Switch-over time	3 Secondary power supply to all lighting at AD, 775KVA Switch-over time: 15 SEC
5	Remarks	Nil

<b>OJAQ AD 2.16 HELICOPTER LANDING AREA</b>		
1	Coordinates TLOF or THR of FATO Geoid undulation	<b>NIL</b>
2	TLOF and/or FATO elevation M/FT	
3	TLOF and FATO area dimensions, surface, strength, marking	
4	True BRG of FATO	
5	Declared distance available	
6	APP and FATO lighting	
7	Remarks	

<b>OJAQ AD 2.17 ATS AIRSPACE</b>		
1	Designation and lateral limits	King Hussein CTR Radius of 8NM 293638.98710N 0350103.05263E Within jordanian airspace
2	Vertical limits	SFC to 6500 FT ALT
3	Airspace classification	C
4	ATS unit call sign Language(s)	King Hussein TWR, English, Arabic
5	Transition altitude	13000 FT AMSL
6	Remarks	Nil