

**THE HASHEMITE KINGDOM OF JORDAN
CIVIL AVIATION REGULATORY COMMISSION
DIRECTORATE OF AIR TRAFFIC MANAGEMENT
AERONAUTICAL INFORMATION SERVICES
HEADQUARTERS
P. O. BOX : 7547 - AMMAN**

PHONE : +96264872681

FAX: +962 6 4891266

AFS : OJAMYHYX

E-mail: ais.hq@carc.gov.jo

AIRAC

AIP

AMENDMENT 17

15 MAR 2018

EFFECTIVE DATE: 26 APR 2018

1. Contents

At Aqaba/King Hussein Airport

- **New Aerodrome Chart -ICAO**
- **New Aircraft Parking/Docking Chart ICAO-Passenger Apron**
- **New Aircraft Parking/Docking Chart ICAO-Cargo Apron**
- **Aerodrome Ground Movement Chart-ICAO Modification**

2. Record entry of Amendment on page GEN 0.2-2

3. On 26 APR 2018 destroy and insert the following pages:

PAGES TO BE DESTROYED

GEN 0

0.2-2 07 DEC 2017
0.4-1 01 FEB 2018
0.4-4 07 DEC 2017

AD 2 (OJAQ)

2.1 12 DEC 2013
2.2 01 FEB 2011
2.3 01 FEB 2011
2.4 01 FEB 2011
2.5 01 FEB 2011
2.6 01 NOV 2012
2.7 01 NOV 2012
2.8 01 FEB 2011
2.10 01 MAY 2016
2.11 30 APR 2015

2.24.3-1 12 DEC 2013

PAGES TO BE INSERTED

GEN 0

0.2-2 26 APR 2018
0.4-1 26 APR 2018
0.4-4 26 APR 2018

AD 2 (OJAQ)

2.1 26 APR 2018
2.2 26 APR 2018
2.3 26 APR 2018
2.4 26 APR 2018
2.5 26 APR 2018
2.6 26 APR 2018
2.7 26 APR 2018
2.8 26 APR 2018
2.10 26 APR 2018
2.11 26 APR 2018
2.24.1-1 26 APR 2018
2.24.2-1 26 APR 2018
2.24.2-2 26 APR 2018
2.24.3-1 26 APR 2018

AIS HEADQUARTERS



GEN 0.2 RECORDS OF AIP AMENDMENTS

NR/ Year	Publication Date	Date Inserted	Inserted By	NR/ Year	Publication Date	Date Inserted	Inserted By
43/06	01 NOV 2006			68/13	01 MAY 2013		
44/07	01 FEB 2007			69/13	01 AUG 2013		
45/07	01 MAY 2007			70/13	01 NOV 2013		
46/07	01 AUG 2007			71/14	01 FEB 2014		
47/07	01 NOV 2007			72/14	01 MAY 2014		
48/08	01 FEB 2008			73/14	01 AUG 2014		
49/08	01 MAY 2008			74/14	01 NOV 2014		
50/08	01 NOV 2008			75/15	01 FEB 2015		
51/09	01 FEB 2009			76/15	01 MAY 2015		
52/09	01 MAY 2009			77/15	01 AUG 2015		
53/09	01 AUG 2009			78/15	01 NOV 2015		
54/09	01 NOV 2009			79/16	01 FEB 2016		
55/10	01 FEB 2010			80/16	01 MAY 2016		
56/10	01 MAY 2010			81/16	01 AUG 2016		
57/10	01 AUG 2010			82/16	01 NOV 2016		
58/10	01 NOV 2010			83/17	01 FEB 2017		
59/11	01 FEB 2011			84/17	01 MAY 2017		
60/11	01 MAY 2011			85/17	01 AUG 2017		
61/11	01 AUG 2011			86/17	01 NOV 2017		
62/11	01 NOV 2011			87/18	01 FEB 2018		
63/12	01 FEB 2012						
64/12	01 MAY 2012						
65/12	01 AUG 2012						
66/12	01 NOV 2012						
67/13	01 FEB 2013						

GEN 0.2 AIRAC OF AIP AMENDMENTS

NR/ Year	Publication Date	Effective Date	Inserted By	NR/ Year	Publication Date	Effective Date	Inserted By
1/98	01 JAN 98	01 JAN 98					
2/98	10 SEP 98	10 SEP 98					
3/05	07 JUL 05	07 JUL 05					
4/08	19 JUN 08	31 JUN 08					
5/11	06 FEB 11	07 APR 11					
6/11	04 NOV 11	15 DEC 11					
7/13	27 DEC 12	07 FEB 13					
8/13	30 OCT 13	12 DEC 13					
9/15	19 MAR 15	30 APR 15					
10/15	06 AUG 15	17 SEP 15					
11/15	16 NOV 15	07 JAN 16					
12/16	17 MAR 16	28 APR 16					
13/16	09 JUN 16	21 JUL 16					
14/16	27 OCT 16	08 DEC 16					
15/17	03 AUG 17	14 SEP 2017					
16/17	26 OCT 2017	07 DEC 2017					
17/18	15 MAR 2018	26 APR 2018					

GEN 0.4			CHECK LIST OF AIP PAGES		
Page	Date	Page	Date	Page	Date
PART 1 – GENERAL (GEN)			2.3-4	01 NOV 2006	GEN 4
GEN 0		2.3-5	01 NOV 2006	4.1-1	01 MAY 2016
0.1-1	01 NOV 2010	2.4-1	01 FEB 2015	4.1-2	01 MAY 2016
0.1-2	01 FEB 2016	2.5-1	01 AUG 2015	4.1-3	01 MAY 2016
0.1-3	01 NOV 2010	2.6-1	01 MAY 2007	4.1-4	01 MAY 2016
0.2-1	01 FEB 2018	2.6-2	01 MAY 2007	4.1-5	01 MAY 2014
*0.2-2	26 APR 2018	2.7-1	01 NOV 2011	4.1-6	01 MAY 2015
0.3-1	01 MAY 2017	2.7-2	01 NOV 2011	4.1-7	01 MAY 2015
*0.4-1	26 APR 2018	2.7-3	01 NOV 2011	4.1-8	01 MAY 2015
0.4-2	01 FEB 2018	2.7-4	01 NOV 2011	4.1-9	01 MAY 2015
0.4-3	01 FEB 2018	2.7-5	01 NOV 2011	4.1-10	01 MAY 2015
*0.4.4	26 APR 2018	GEN 3		4.1-11	01 MAY 2015
0.5-1	01 NOV 2006	3.1-1	01 AUG 2016	4.1-12	01 MAY 2015
0.6-1	12 DEC 2013	3.1-2	01 AUG 2016	4.2-1	01 MAY 2015
0.6-2	12 DEC 2013	3.1-3	01 MAY 2010	4.2-2	01 MAY 2015
GEN 1			3.1-4	01 MAY 2010	
1.1-1	01 NOV 2010	3.1-5	01 NOV 2016		
1.2-1	01 MAY 2008	3.1-6	01 FEB 2015		
1.2-2	01 MAY 2008	3.1-7	01 FEB 2015		
1.2-3	01 MAY 2012	3.2-1	01 NOV 2010		
1.3-1	01 MAY 2011	3.2-2	01 NOV 2010		
1.3-2	01 FEB 2014	3.2-3	12 DEC 2013		
1.4-1	01 MAY 2011	3.3-1	01 NOV 2010		
1.5-1	01 MAY 2010	3.3-2	12 DEC 2013		
1.6-1	01 MAY 2011	3.3-3	01 AUG 2011		
1.7-1	01 NOV 2011	3.4-1	01 FEB 2018		
1.7-2	01 AUG 2016	3.4-2	01 FEB 2018		
1.7-3	01 NOV 2012	3.4-3	01 FEB 2018		
1.7-4	01 NOV 2010	3.4-5	01 FEB 2018		
1.7-5	01 NOV 2010	3.5-1	01 MAY 2009		
1.7-6	01 NOV 2010	3.5-2	01 AUG 2015		
GEN 2			3.5-3	01 FEB 2010	
2.1-1	01 FEB 2018	3.5-4	01 FEB 2010		
2.1-2	01 FEB 2018	3.5-5	01 NOV 2007		
2.1-3	01 FEB 2018	3.5-6	01 NOV 2006		
2.2-1	01 NOV 2010	3.5-7	01 NOV 2006		
2.2-2	01 NOV 2010	3.5-8	01 NOV 2006		
2.2-3	01 NOV 2010	3.5-9	01 NOV 2006		
2.2-4	01 NOV 2010	3.5-10	01 NOV 2006		
2.2-5	01 NOV 2010	3.5-11	01 NOV 2006		
2.2-6	01 NOV 2010	3.5-12	01 NOV 2006		
2.2-7	01 NOV 2010	3.5-13	01 NOV 2006		
2.2-8	01 NOV 2010	3.5-14	01 NOV 2006		
2.2-9	01 NOV 2010	3.5-15	01 NOV 2006		
2.2-10	01 NOV 2010	3.5-16	01 NOV 2006		
2.2-11	01 NOV 2010	3.5-17	01 NOV 2006		
2.2-12	01 NOV 2010	3.5-18	01 FEB 2010		
2.2-13	01 NOV 2010	3.5-19	01 FEB 2010		
2.2-14	01 NOV 2010	3.5-20	01 FEB 2010		
2.2-15	01 NOV 2010	3.5-21	01 FEB 2010		
2.2-16	01 NOV 2010	3.5-22	01 FEB 2010		
2.2-17	01 NOV 2010	3.6-1	01 MAY 2017		
2.2-18	01 NOV 2010	3.6-2	01 MAY 2016		
2.2-19	01 NOV 2010	3.6-3	01 MAY 2017		
2.2-20	01 NOV 2010	3.6-4	01 MAY 2017		
2.3-1	01 NOV 2006	3.6-5	01 MAY 2017		
2.3-2	01 NOV 2006	3.6-6	01 MAY 2017		
2.3-3	01 NOV 2006				

GEN 0.4		CHECK LIST OF AIP PAGES			
Page	Date	Page	Date	Page	Date
PART 2 – EN – ROUT (ENR)		1.10-9	01 FEB 2016	4.4-1	08 DEC 2016
ENR 0		1.10-10	01 FEB 2016	4.4-2	08 DEC 2016
0.6-1	01 FEB 2014	1.10-11	01 FEB 2016	4.5-1	01 MAY 2007
0.6-2	15 DEC 2011	1.10-12	01 FEB 2016	ENR 5	
		1.10-13	01 FEB 2016	5.1-1	01 MAY 2012
ENR 1		1.10-14	01 FEB 2016	5.1-2	01 FEB 2017
1.1-1	01 MAY 2008	1.10-15	01 FEB 2016	5.2-1	28 APR 2016
1.1-2	01 MAY 2008	1.11-1	01 FEB 2014	5.3-1	01 NOV 2009
1.1-3	01 MAY 2008	1.12-1	01 FEB 2007	5.4-1	01 MAY 2007
1.2-1	01 AUG 2016	1.12-2	01 FEB 2007	5.5-1	01 AUG 2015
1.2-2	12 DEC 2013	1.12-3	01 FEB 2007	5.6-1	01 MAY 2008
1.2-3	12 DEC 2013	1.12-4	01 FEB 2007	5.6-2	01 MAY 2008
1.2-4	12 DEC 2013	1.13-1	01 FEB 2007	5.6-3	01 MAY 2008
1.2-5	12 DEC 2013	1.14-1	01 MAY 2008	5.6-4	01 MAY 2008
1.3-1	12 DEC 2013	1.14-2	01 MAY 2008	5.6-5	01 MAY 2008
1.4-1	14 SEP 2017	1.14-3	01 FEB 2007	ENR 6	
1.5-1	01 MAY 2014	1.14-4	01 FEB 2007	6-1	08 DEC 2016
1.5-2	01 FEB 2018	1.14-5	01 FEB 2007	6-3	01 MAY 2009
1.5-3	12 DEC 2013	1.14-6	01 FEB 2007	6-7	12 DEC 2013
1.5-4	01 FEB 2018	1.14-7	01 FEB 2007	6-8	01 MAY 2008
1.5-5	07 DEC 2017	ENR 2		6-9	01 MAY 2008
1.5-6	07 DEC 2017	2.1-1	01 MAY 2016		
1.5-7	30 APR 2015	2.1-2	08 DEC 2016		
1.5-8	01 NOV 2015	2.1-3	28 APR 2016		
1.5-9	30 APR 2015	2.1-4	28 APR 2016		
1.5-10	30 APR 2015	2.1-5	28 APR 2016		
1.5-11	12 DEC 2013	2.2-1	12 DEC 2013		
1.5-12	01 MAY 2017	2.2-2	12 DEC 2013		
1.5-13	12 DEC 2013	ENR 3			
1.5-14	12 DEC 2013	3.1-1	08 DEC 2016		
1.5-15	12 DEC 2013	3.1-2	08 DEC 2016		
1.5-16	12 DEC 2013	3.1-3	08 DEC 2016		
1.5-17	12 DEC 2013	3.1-4	08 DEC 2016		
1.5-18	12 DEC 2013	3.1-5	08 DEC 2016		
1.5-19	12 DEC 2013	3.1-6	08 DEC 2016		
1.5-20	12 DEC 2013	3.1-7	08 DEC 2016		
1.5-21	12 DEC 2013	3.2-1	08 DEC 2016		
1.5-22	12 DEC 2013	3.2-2	08 DEC 2016		
1.5-23	12 DEC 2013	3.2-3	08 DEC 2016		
1.5-24	12 DEC 2013	3.2-4	08 DEC 2016		
1.5-25	12 DEC 2013	3.2-5	08 DEC 2016		
1.6-1	12 DEC 2013	3.2-6	08 DEC 2016		
1.6-2	12 DEC 2013	3.3-1	08 DEC 2016		
1.6-3	12 DEC 2013	3.3-2	08 DEC 2016		
1.6-4	01 AUG 2015	3.3-3	08 DEC 2016		
1.6-5	01 FEB 2017	3.3-4	08 DEC 2016		
1.6-6	12 DEC 2013	3.3-5	08 DEC 2016		
1.6-7	12 DEC 2013	3.3-6	08 DEC 2016		
1.7-1	01 FEB 2017	3.3-7	08 DEC 2016		
1.7-2	01 FEB 2017	3.3-8	08 DEC 2016		
1.7-3	01 FEB 2017	3.3-9	08 DEC 2016		
1.8-1	01 AUG 2011	3.3-10	08 DEC 2016		
1.8-2	01 AUG 2011	3.3-11	08 DEC 2016		
1.9-1	01 AUG 2011	3.3-12	08 DEC 2016		
1.10-1	01 FEB 2016	3.3-13	08 DEC 2016		
1.10-2	01 FEB 2016	3.4-1	01 FEB 2007		
1.10-3	01 FEB 2016	3.5-1	01 FEB 2007		
1.10-4	01 FEB 2016	3.6-1	01 FEB 2007		
1.10-5	01 FEB 2016	ENR 4			
1.10-6	01 FEB 2016	4.1-1	12 DEC 2013		
1.10-7	01 FEB 2016	4.2-1	01 MAY 2007		
1.10-8	01 FEB 2016	4.3-1	01 MAY 2007		

GEN 0.4 CHECK LIST OF AIP PAGES

Page	Date	Page	Date	Page	Date
PART 3 - AERODROMES (AD)		2.24.7-7	12 DEC 2013	2.24.2-5	14 SEP 2017
AD 0		2.24.7-8	12 DEC 2013	2.24.2-6	14 SEP 2017
0.6-1	14 SEP 2017	2.24.7-9	12 DEC 2013	2.24.4-1	12 DEC 2013
0.6-2	14 SEP 2017	2.24.7-10	12 DEC 2013	2.24.4-2	12 DEC 2013
AD 1		2.24.8-1	12 DEC 2013	2.24.4-3	12 DEC 2013
1.1-1	01 MAY 2008	2.24.8-3	12 DEC 2013	2.24.4-4	12 DEC 2013
1.1-2	01 MAY 2008	2.24.8-4	12 DEC 2013	2.24.5-1	12 DEC 2013
1.1-3	01 MAY 2017	2.24.8-5	12 DEC 2013	2.24.5-5	07 DEC 2017
1.2-1	01 MAY 2008	2.24.8-6	12 DEC 2013	2.24.5-7	07 DEC 2017
1.2-2	01 MAY 2008	2.24.8-7	12 DEC 2013	2.24.6-1	14 SEP 2017
1.3-1	01 MAY 2017			2.24.6-3	14 SEP 2017
1.4-1	01 AUG 2007	AD 2 (OJAI)		2.24.6-4	14 SEP 2017
1.5-1	01 FEB 2017			2.24.6-5	12 DEC 2013
AD 2 (OJAM)		2.1	01 FEB 2018	2.24.6-7	12 DEC 2013
		2.2	01 FEB 2018	2.24.6-8	12 DEC 2013
2.1	12 DEC 2013	2.3	01 FEB 2018	2.24.6-9	12 DEC 2013
2.2	01 MAY 2009	2.4	14 SEP 2017	2.24.6-11	12 DEC 2013
2.3	01 MAY 2009	2.5	01 FEB 2018	2.24.6-12	12 DEC 2013
2.4	01 MAY 2009	2.6	14 SEP 2017	2.24.6-13	14 SEP 2017
2.5	01 AUG 2007	2.7	14 SEP 2017	2.24.6-15	14 SEP 2017
2.6	01 AUG 2007	2.8	14 SEP 2017	2.24.6-16	14 SEP 2017
2.7	01 MAY 2008	2.9	14 SEP 2017	2.24.6-17	14 SEP 2017
2.8	01 MAY 2008	2.10	01 NOV 2016	2.24.6-18	12 DEC 2013
2.9	01 AUG 2015	2.11	21 JUL 2016	2.24.6-19	14 SEP 2017
2.10	01 MAY 2009	2.12	21 JUL 2016	2.24.6-20	12 DEC 2013
2.11	01 FEB 2014	2.13	07 DEC 2017	2.24.7-1	12 DEC 2013
2.24.1-1	12 DEC 2013	2.14	14 SEP 2017	2.24.7-3	12 DEC 2013
2.24.3-1	12 DEC 2013	2.15	14 SEP 2017	2.24.7-4	12 DEC 2013
2.24.4-1	12 DEC 2013	2.16	14 SEP 2017	2.24.7-5	12 DEC 2013
2.24.4-2	12 DEC 2013	2.17	14 SEP 2017	2.24.7-7	12 DEC 2013
2.24.6-1	12 DEC 2013	2.18	14 SEP 2017	2.24.7-8	12 DEC 2013
2.24.6-3	12 DEC 2013	2.19	01 FEB 2018	2.24.7-9	12 DEC 2013
2.24.6-4	12 DEC 2013	2.20	01 FEB 2018	2.24.7-10	12 DEC 2013
2.24.6-5	12 DEC 2013	2.21	14 SEP 2017	2.24.7-13	07 DEC 2017
2.24.6-7	12 DEC 2013	2.22	14 SEP 2017	2.24.7-15	07 DEC 2017
2.24.6-8	12 DEC 2013	2.23	01 FEB 2018	2.24.7-16	07 DEC 2017
2.24.6-9	12 DEC 2013	2.24	01 FEB 2018	2.24.7-17	07 DEC 2017
2.24.6-10	12 DEC 2013	2.24.1-1	01 FEB 2018	2.24.7-19	07 DEC 2017
2.24.7-1	12 DEC 2013	2.24.2-1	01 FEB 2018	2.24.7-20	07 DEC 2017
2.24.7-3	12 DEC 2013	2.24.2-2	14 SEP 2017	2.24.8-1	01 FEB 2014
2.24.7-4	12 DEC 2013	2.24.2-3	14 SEP 2017	2.24.8-3	12 DEC 2013
2.24.7-5	12 DEC 2013	2.24.2-4	14 SEP 2017	2.24.8-8	12 DEC 2013

GEN 0.4 CHECK LIST OF AIP PAGES

Page	Date	Page	Date
AD 2 (OJAI)	CONT...	2.24.6-10	01 AUG 2015
2.24.8-9	12 DEC 2013	2.24.7-1	12 DEC 2013
2.24.8-10	12 DEC 2013	2.24.7-3	12 DEC 2013
2.24.8-11	12 DEC 2013	2.24.7-5	12 DEC 2013
2.24.8-16	12 DEC 2013	2.24.7-7	12 DEC 2013
2.24.8-19	07 DEC 2017	2.24.8-1	12 DEC 2013
2.24.8-21	07 DEC 2017	2.24.8-3	12 DEC 2013
2.24.8-23	07 DEC 2017	2.24.8-4	12 DEC 2013
2.24.8-25	07 DEC 2017	2.24.8-5	01 MAY 2015
2.24.8-31	07 DEC 2017	2.24.8-6	01 MAY 2016
2.24.8-33	07 DEC 2017	2.24.8-7	01 AUG 2015
2.24.8-35	07 DEC 2017	2.24.9-1	01 AUG 2015
2.24.8-37	07 DEC 2017		
AD 2 (OJAQ)			
*2.1	26 APR 2018		
*2.2	26 APR 2018		
*2.3	26 APR 2018		
*2.4	26 APR 2018		
*2.5	26 APR 2018		
*2.6	26 APR 2018		
*2.7	26 APR 2018		
*2.8	26 APR 2018		
2.9	01 NOV 2011		
*2.10	26 APR 2018		
*2.11	26 APR 2018		
*2.24.1-1	26 APR 2018		
*2.24.2-1	26 APR 2018		
*2.24.2-2	26 APR 2018		
*2.24.3-1	26 APR 2018		
2.24.4-1	12 DEC 2013		
2.24.4-2	12 DEC 2013		
2.24.6-1	12 DEC 2013		
2.24.6-3	12 DEC 2013		
2.24.6-5	12 DEC 2013		
2.24.6-7	12 DEC 2013		
2.24.6-9	01 AUG 2015		

OJAQ AD 2.1 AERODROME LOCATION INDICATOR AND NAME
OJAQ – AQABA/King Hussein International

OJAQ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	293641.82613N 350105.03805E MID point of RWY
→ 2	Direction and Distance from city	4.86 NM (9 KM) North
3	Elevation / Reference temperature	175 FT (53M) / 40.1°C
4	Geoid undulation at AD ELEV PSN	16.2 FT
→ 5	Magnetic variation / Annual change	4° E (2018) / 5' E
6	AD administration, address, telephone, fax, AFS	Aqaba/King Hussein Airport P.O.BOX : 2662 AQABA - JORDAN TEL : + 962 3 2012111 + 962 3 2012445 + 962 3 2034010 FAX : + 962 3 2012397 AFS : OJAQGOYX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

OJAQ AD 2.3 OPERATIONAL HOURS

1	Aerodrome Administration	H24
2	Customs and immigration	H24
3	Health and sanitation	H24
4	AIS Briefing Office	H24
5	ATS Reporting Office (ARO)	H24
6	MET Briefing Office	H24
7	Air Traffic Service (ATS)	H24
8	Fueling	H24
9	Handling	H24
10	Security	H24
11	De-Icing	Nil
12	Remarks	Nil

OJAQ AD 2.4 HANDLING SERVICES AND FACILITIES		
1	Cargo-handling facilities	Available H24
2	Fuel / oil Types	Fuel : JET A1.only Oil : all grades not available
→ 3	Fueling facilities / Capacity	Available H24 / (262 Tones)
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

OJAQ AD 2.5 PASSENGER FACILITIES		
1	Hotels	In the city of Aqaba
2	Restaurant	In the city of Aqaba
3	Transportation	Taxis to city of Aqaba
4	Medical facilities	First aid treatment, Ambulances to Hospitals in city of Aqaba
5	Bank and Post Office	Bank available H24 Post office Not available
6	Tourist Office	In the city of Aqaba
7	Remarks	Nil

OJAQ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES		
1	Aerodrome category for fire fighting	H24, CAT 9 Trained personnel: 60
2	Rescue equipment	Yes, Patrol Vessel
3	Capability for removal of disabled aircraft	Limited Equipment available, companies should use IATA pooling arrangement.
4	Remarks	Nil

OJAQ AD 2.7 SEASONAL AVAILABILITY-CLEARING		
1	Types of clearing equipment	Two sweepers
2	Clearance Priorities	Runway in use, TWYs AND Aprons, Run-up areas
3	Remarks	AD available all seasons

OJAQ AD 2.8 APRONS TAXIWAYS AND CHECK LOCATIONS/ POSITION DATA		
1	Apron surface and strength	Passenger Apron
		Surface: Concrete (Rigid)
		Strength: PCN 42/R/A/W/U
		Cargo Apron
		Surface: Concrete (Rigid)
		Strength: PCN 42/R/A/W/U
		Aero sports Apron
		Surface: Asphalt (Flexible)
		Strength: Axle load 12 Ton
		JP JET Apron (GA-1)
		Surface: Asphalt
		Strength: PCN 42/F/A/X/T
		Helicopters Apron (for Military use only)
		Surface: Asphalt
Strength: PCN 42/F/A/X/T		
2	Taxiway width, surface, and strength	Maintenance Apron
		Surface: Asphalt (Flexible)
		Strength: PCN 47/F/A/W/T
		Taxiway A
		Width : 23M
		Surface: Asphalt (flexible)
		Strength: PCN 54/F/A/W/U
		Taxiway B
		Width : 23M
		Surface: Asphalt (flexible)
		Strength: PCN 54/F/A/W/U
		Taxiway C
		Width : 26.5M
		Surface: Asphalt (flexible)
Strength: PCN 54/F/A/W/U		
3	Altimeter checkpoint location and elevation	Taxiway D
		Width : 27.5M
		Surface: Asphalt (Flexible)
		Strength: PCN 54/F/A/W/U
		Taxiway M
		Width : 23M
4	VOR check points	Surface: Asphalt (Flexible) (50M concrete, 150M asphalt)
		Strength: PCN 54/F/A/W/U
5	INS checkpoints	Holding Point RWY 01: 175 FT (53M) RWY 19: 113 FT (34.34M)
6	Remarks	Nil

OJAQ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS		
1	Use of aircrafts stand ID sign, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiing guidance signs at all intersections with TWY and RWY and at all holding positions. Guide lines at aprons.
2	RWY and TWY markings and LGT	RWY: Designation, THR, centerline, edge runway end as appropriate, marked and lighted. TDZ: marked and not lighted. TWY: Centre line, holding positions at all TWY/RWY intersections, marked and not lighted.
3	Stop bars	Nil
4	Remarks	Nil

OJAQ AD 2.9.1 AIRCRAFT PARKING STANDS AT KING HUSSEIN INTERNATIONAL AIRPORT:				
PASSENGERS APRON				
	Stand Number	Capacity	Geographical Coordinates For Aircraft Stands	
			LAT	LONG
	01	Code D Maximum	29° 36' 30"	35° 01' 11"
	02	Code D Maximum	29° 36' 31"	35° 01' 12"
	03	Code D Maximum	29° 36' 33"	35° 01' 12"
	04	Code D Maximum	29° 36' 35"	35° 01' 13"
	05	Code D Maximum	29° 36' 36"	35° 01' 14"
	06	Code D Maximum	29° 36' 38"	35° 01' 14"
	07	Code E Maximum	29° 36' 30"	35° 01' 11"
CARGO APRON				
	Stand Number	Capacity	Geographical Coordinates For Aircraft Stands	
			LAT	LONG
	C1	Code E Maximum	29° 37' 01"	35° 01' 27"
	C2	Code E Maximum	29° 37' 04"	35° 01' 27"
	C3	Code E Maximum	29° 37' 06"	35° 01' 28"
	C4	Code E Maximum	29° 37' 08"	35° 01' 29"
	C5	Code E Maximum	29° 37' 10"	35° 01' 30"
	C6	Code E Maximum	29° 37' 13"	35° 01' 30"
	C7	Code E Maximum	29° 37' 15"	35° 01' 31"
	C8	Code E Maximum	29° 37' 17"	35° 01' 32"

OJAQ AD 2.10 AERODROME OBSTACLES

Obstacles in Approach and Take off Areas

RWY	TYPE	ELEV (M)	From RWY THR	
			DIST(M)	MAG
01	*Flag Mast	142	8525	184

*REMARK : Natural obstacle penetrating surface of all Runways are shown on Aerodrome obstacle charts
Type A Slight terrain obstructions penetrates 2.5% the Approach and Take off Surface.

OJAQ AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Aqaba/King Hussein
2	Hours of service MET Office outside hours	H24 -----
3	Office responsible for TAF preparation Periods of validity	Marka MET Office 18,24
4	Trend forecast Interval of issuance	TAF Every 3 hours
5	Briefing/consultation provided	P, T, FAX
6	Flight documentation Language(s) used	C, TAF Code Form English
7	Charts and other information available for briefing or consultation	SIG, W.C U "Upper" W "Wind" T ⁰ = TEMP 330,340 390FL and any levels on request
8	Supplementary equipment available for Providing information	FAX
9	ATS units provided with information	Amman FIC, ACC, RCC, ATS
10	Additional information (limitation of service, etc.)	SPECI Warnings

OJAQ 2.12 RUNWAY PHYSICAL CHARACTERISTICS					
Designations RWY NR	True & MAG BRG	Dimensions of RWY (M)	Strength(PCN) and surface of RWY and SWY	THR coordinates and THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
01	019 T ° 014 M °	3000 x 45	Runway PCN 54/F/A/W/U Asphalt Flexible Stopway Asphalt Flexible	293552.96627N 350047.95052E 16.2 FT	THR 175 FT (53.3M)
19	199 T ° 194 M °			293726.26968N 350120.57876E 16.2 FT	THR 113 FT (34.34M)
Slopes of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
<u>RWY 01</u> 0.65 (3000)	150 x 45	Nil	3330 x 300	900 x 300	Nil
<u>RWY 19</u> 0.65 (3000)	60 x 45	Nil	3330 x 300	900 x 300	Nil

OJAQ AD 2.13 DECLARED DISTANCES					
RWY	TORA	TODA	ASDA	LDA	Remarks
Designator	(M)	(M)	(M)	(M)	
1	2	3	4	5	6
01	3000	3000	3150	3000	Nil
19	3000	3000	3060	3000	Nil

OJAQ AD 2.14		APPROACH AND RUNWAY LIGHTING
1	RWY Designator	01
2	APPROACH LIGHT	
	TYPE	CAT 1
	LENGTH	900M - color white (with 5 cross bars)
	Intensity	High
3	THR LIGHT	
	COLOUR	Green
	WBAR	Green
4	VASIS	Nil
	(MEHT)	MEHT. 23.6M
	PAPI	4 units 3° left side (Distance 420M from THR)
5	TDZ LIGHT	Nil
6	RWY CENTER LINE LIGHT	
	LENGTH	3000 M
	SPACING	30 M
	COLOUR	White
	INTENSITY	5000 cd
7	RWY EDGE LIGHT	
	LENGTH	3000M
	SPACING	60M
	COLOUR	White
	Intensity	High
8	RWY END LIGHT	
	COLOUR	Red
	WBAR	Nil
9	STOPWAY LIGHT	
	LENGTH	150 M
	COLOUR	Red
10	REMARK	Nil
1	RWY Designator	19
2	APPROACH LIGHT	
	TYPE	CAT I
	LENGTH	900M with 5 cross bars
	INTENSITY	20000 cd
3	THR LIGHT	
	COLOUR	Green
	SPACING	3 M
	INTENSITY	10000 cd
	WBAR	Nil
4	VASIS	Nil
	(MEHT)	MEHT. 23.6M
	PAPI	4 units 3° left side (Distance 420M from THR)
5	TDZ LIGHT	Nil
6	RWY CENTER LINE LIGHT	
	LENGTH	3000 M
	SPACING	30 M
	COLOUR	White
	INTENSITY	5000 cd
7	RWY EDGE LIGHT	
	LENGTH	3000M
	SPACING	60M
	COLOUR	White
	Intensity	High
8	RWY END LIGHT	
	COLOUR	Red
	WBAR	Nil
9	STOPWAY LIGHT	
	LENGTH	60 M
	COLOUR	Red
10	REMARK	Nil

OJAQ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN Location, Characteristics and hours of operation	<u>IBN</u> : NIL <u>ABN</u> : On the top of Tower , FLG G+W , HN+IMC, H24
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	Edge: All TWY Centre line: Not available
→ 4	Secondary power supply Switch-over time	7 Secondary power supply to all lighting at AD, 2300KVA Switch-over time: 15 SEC
5	Remarks	Nil

OJAQ AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	
3	TLOF and FATO area dimensions, surface, strength, marking	
4	True BRG of FATO	
5	Declared distance available	
6	APP and FATO lighting	
7	Remarks	

OJAQ AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	King Hussein CTR Radius of 8NM 293638.98710N 0350103.05263E Within jordanian airspace
2	Vertical limits	SFC to 6500 FT ALT
3	Airspace classification	C
4	ATS unit call sign Language(s)	King Hussein TWR, English, Arabic
5	Transition altitude	13000 FT AMSL
6	Remarks	Nil

OJAQ AD 2.18 ATS COMMUNICATION FACILITIES				
Service designation	Call Sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
APP	Aqaba Approach	119.2 MHZ	H24	Operating Authority: Civil Aviation Regulatory Commission From 1800 until 0400 next day, Freq will be used for APP, TWR, and Aircraft Surface Movement Control.
		121.5 MHZ	H24	Emergency Frequency.
TWR	King Hussein TWR	118.1 MHZ	0400-1800	For TWR control and Aircraft Surface Movement Control.
		121.5 MHZ	H24	Emergency Frequency.
Fire Fighting	Civil Defense	121.6 MHZ	H24	

OJAQ AD 2.19 RADIO NAVIGATION AND LANDING AIDS						
Type of aid, MAG VAR, Type of supported OP (for VOR/ILS/MLS, give declination)	ID	FREQ	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	AQC	326 KHZ	H24	295408.21N 0350708.39E		17NM from THR RWY 01.
DVOR/ DME	AQB	113.1MHZ CH78X	H24	293458.54N 0350028.90E	57.5 M	Coverage 56NM. 0.9NM from THR RWY 01.
→ LOC RWY 01 ILS CAT I	IAQA	110.10MHZ	H24	293736.30N 0350124.09E		330M from THR RWY 19.
GP RWY 01		334.4MHZ	H24	293603.92N 0350047.37E		212M from THR RWY 01. Angle 3 DEG. RDH 14.54M.
DME	IAQA	999MHZ CH38X	H24	293603.92N 0350047.37E	57M	
→ LOC RWY 19 ILS CAT I	IKHA	110.9MHZ	H24	293544.009N 0350044.812E	52.875M	290M from THR RWY 01
GP RWY 19		330.8MHZ	H24	293719.189N 0350113.247E		265M from THR RWY 19 Angel 3 DEG
DME	IKHA	1007MHZ CH46X	H24	293719.189N 0350113.247E	37M	

OJAQ AD2.20 LOCAL TRAFFIC REGULATIONS

Removal of Disabled Aircraft from Runways

Limited equipment available, companies should use IATA pooling arrangement

OJAQ AD 2.21 NOISE ABATEMENT PROCEDURE

NIL

OJAQ AD 2.22 FLIGHT PROCEDURES

Local Flying Regulations: Right hand circuit RWY 01 , Left hand circuit RWY 19 , pilots to use caution to remain within Jordanian Airspace .

OJAQ AD 2.23 ADDITIONAL INFORMATION

NIL.

OJAQ AD 2.24 CHARTS RELATED TO AN AERODROME

NR	CHART TYPE	PAGE NR (OJAQ)
1.	AERODROME CHART - ICAO	AD 2.24.1-1
2.	AIRCRAFT PARKING/DOCKING CHART ICAO-PASSENGER APRON	AD 2.24.2-1
3.	AIRCRAFT PARKING/DOCKING CHART ICAO-CARGO APRON	AD 2.24.2-2
4.	AERODROME GROUND MOVEMENT CHART - ICAO	AD 2.24.3-1
5.	AERODROME OBSTACLE CHART - ICAO - TYPE A RWY 01	AD 2.24.4-1
6.	AERODROME OBSTACLE CHART - ICAO - TYPE A RWY 19	AD 2.24.4-2
7.	STANDARD DEPARTURE CHART INSTRUMENT - ICAO - RNAV (GNSS) RWY 01	AD 2.24.6-1
8.	ROUTE DESCRIPTION RNAV(GNSS)DEPARTURE RWY 01	AD 2.24.6-3
9.	STANDARD DEPARTURE CHART INSTRUMENT - ICAO - RNAV (GNSS) RWY 19	AD 2.24.6-5
10.	ROUTE DESCRIPTION RNAV(GNSS)DEPARTURE RWY 19	AD 2.24.6-7
11.	STANDARD DEPARTURE CHART INSTRUMENT - ICAO RWY 01	AD 2.24.6-9
12.	STANDARD DEPARTURE CHART INSTRUMENT - ICAO RWY 19	AD 2.24.6-10
13.	STANDARD ARRIVAL CHART INSTRUMENT- ICAO - RNAV (GNSS) RWY 01	AD 2.24.7-1
14.	ROUTE DESCRIPTION RNAV(GNSS)ARRIVAL RWY 01	AD 2.24.7-3
15.	STANDARD ARRIVAL CHART INSTRUMENT- ICAO - RNAV (GNSS) RWY 19	AD 2.24.7-5
16.	ROUTE DESCRIPTION RNAV(GNSS)ARRIVAL RWY 19	AD 2.24.7-7
17.	INSTRUMENT APPROACH CHART - ICAO - ILS RWY 01	AD 2.24.8-1
18.	INSTRUMENT APPROACH CHART - ICAO - RNAV (GNSS) RWY 01	AD 2.24.8-3
19.	HOLDING INSTRUCTION/AREAS RNAV(GNSS)RWY 01	AD 2.24.8-4
20.	INSTRUMENT APPROACH CHART - ICAO - RNAV (GNSS) RWY 19	AD 2.24.8-5
21.	HOLDING INSTRUCTION/AREAS RNAV(GNSS)RWY 19	AD 2.24.8-6
22.	INSTRUMENT APPROACH CHART - ICAO – ILS RWY 19	AD 2.24.8-7
23.	VISUAL APPROACH CHART - ICAO	AD 2.24.9-1

AERODROME CHART - ICAO

29° 36' 42" N
35° 01' 05" E

ELEV 53 M


TWR 118.1 MHZ
GND 118.1 MHZ

AQABA / KING HUSSEIN
(OJAQ)


RWY	DIRECTION	THR	BEARING STRENGTH
01	014°	29° 35' 53" N 35° 00' 48" E	PCN 54/F/A/W/U Asphalt, Flexible
19	194°	29° 37' 26" N 35° 01' 21" E	PCN 54/F/A/W/U Asphalt, Flexible

ELEVATIONS AND DIMENSION IN METERS.
BEARINGS ARE MAGNETIC.

VAR 04° E 2018
Annual
Change 05' E



1 : 18000



20 JAN 2018

AIRCRAFT PARKING /
DOKING CHART - ICAO

PASSENGER APRON
ELEV 48 M


TWR 118.1 MHZ
GND 118.1 MHZ

AQABA / KING HUSSEIN
(OJAQ)


APRON BEARING STRENGTH
PCN 42/R/A/W/U

ELEVATIONS IN METERS.

VAR 04° E 2018
Annual
Change 05° E



1 : 1700



20 JAN 2018

AIRCRAFT PARKING /
DOKING CHART - ICAO

CARGO APRON
ELEV 44 M


TWR 118.1 MHZ
GND 118.1 MHZ

AQABA / KING HUSSEIN
(OJAQ)


APRON BEARING STRENGTH
PCN 42/R/A/W/U

ELEVATIONS IN METERS.

VAR 04° E 2018
Annual
Change 05° E



20 JAN 2018



**AERODROME GROUND
MOVEMENT CHART - ICAO**

ELEV 53 M

TWR 118.1 MHZ
GND 118.1 MHZ


**AQABA / KING HUSSEIN
(OJAQ)**

TWY A , B AND M 23 M WIDE
TWY C 26.5 M WIDE
TWY D 27.5 M WIDE


ELEVATIONS IN METERS.
BEARINGS ARE MAGNETIC.

BEARING STRENGTH PCN 54/F/A/W/U

VAR 04° E 2018
Annual
Change 05' E



1 : 15000



20 JAN 2018