



Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

1. To be completed by the applicant

a) Applicant name	
b) Address/	
c) E-mail address	
d) Mobile Number	
e) Date & place of birth	
f) Nationality	
g) Copy of passport	
I hereby declare that the information given in this form is true, correct completed.	
I am applying for skill test/ PC- issuance on ()	
• Applicant's signature:	

2. To be completed by the examiner

Skill test : <input type="checkbox"/> Type rating		<input type="checkbox"/> ATPL	
<input type="checkbox"/> PC Revalidation		<input type="checkbox"/> PC Renewal of lapsed rating	
<input type="checkbox"/> Single pilot helicopter		<input type="checkbox"/> Multi pilot helicopter	
<input type="checkbox"/> VFR	<input type="checkbox"/> PIC	<input type="checkbox"/> SP incl. (see instructions)	
<input type="checkbox"/> IFR	<input type="checkbox"/> CO pilot	<input type="checkbox"/> AGE (18) or more	<input type="checkbox"/> valid Class 1 medical
Type of helicopter :	Flight time :	Total helicopter:	

3. To be completed by the ATO

TRAINING COMPLETED AND APPLICATION APPROVED	
Name and approval number of ATO	
Date	
Flight time during course	Total time in FSTD during course FFS: FTD:
<input type="checkbox"/> Refresher training completed	<input type="checkbox"/> Approved for renewal PC





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

4. To be completed by the examiner/ Result Of The Test

Final result:	All items passed <input type="checkbox"/> Passed	1 – 5 items failed <input type="checkbox"/> Partial pass	6 or more items failed <input type="checkbox"/> Failed
<input type="checkbox"/> Temporary rating issued	<input type="checkbox"/> Temporary rating not issued	<input type="checkbox"/> Revalidation of single pilot types (see instructions)	
I have entered the following details in the applicant's license (PC only)			
Rating	Date of test/check	Rating valid until	IR valid until
Signature of examiner:		Stamp(or name in block letters)	
Examiner's certificate number:			
Before Test/check <input type="checkbox"/> Valid PPL/CPL/ATPL license <input type="checkbox"/> Valid language proficiency <input type="checkbox"/> Valid ATPL Theoretical	Before skill test/PC <input type="checkbox"/> Approval to take the test issued by CARC (approval must be attached to the application)	Before multiple revalidation using one PC for single engine turbine helicopter refer to: FCL2.245 Type ratings- Validity, revalidation and renewal	
Before type rating Skill Test <input type="checkbox"/> Theoretical training <input type="checkbox"/> Flight training <input type="checkbox"/> Min 70 PIC (ME)	Before type rating Skill Test- SP <input type="checkbox"/> Valid ATPL theory <input type="checkbox"/> 300h SPO	Before multiple revalidation of single-engine piston helicopters <input type="checkbox"/> Min 2 hours PIC on each relevant type during the validity period (PC included)	
Before PC revalidation <input type="checkbox"/> Valid type rating <input type="checkbox"/> Min 2h within validity period (PC included)	Before PC renewal <input type="checkbox"/> Renewal training performed by ATO (Copy of renewal training certificate must be attached to the application)	All prerequisites checked and confirmed including latest revision of Examiners Differences Document	
		Examiner :.....	
M=Mandatory		P=Trained as PIC or COP for issue	X=FS only
		*=Actual or simulated IMC	





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

5. SECTION 1 Pre-flight preparation and checks

SECTION 1 Pre-flight preparation and checks		FTD	FS	H	Instructors initials when training completed	Mandatory	Chkd in FS/H	Pass	Fail
1.1	Helicopter exterior visual inspection; location of each item and purpose of inspection			P		M (if performed in the helicopter)		<input type="checkbox"/>	<input type="checkbox"/>
1.2	Cockpit inspection		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
1.3	Starting procedures, radio and navigation equipment check, selection and setting of navigation and communication frequencies	P	→	→		M		<input type="checkbox"/>	<input type="checkbox"/>
1.4	Taxiing/air taxiing in compliance with air traffic control instructions or on instructions of an instructor		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
1.5	Pre take-off procedures	P	→	→		M		<input type="checkbox"/>	<input type="checkbox"/>
					Examiners initials when section completed				





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi- engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

6.SECTION 2 Flight maneuvers and procedures

SECTION 2 Flight maneuvers and procedures		FTD	FS	H	Instructors initials when training completed	Mandator y	Chkd in FS/H	Pass	Fail
2.1	Take-offs (various profiles)		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.2	Sloping ground take-offs & landings		P	→				<input type="checkbox"/>	<input type="checkbox"/>
2.3	Take-off at maximum take-off mass(actual or simulated maximum take-off mass)	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
2.4	Take-off with simulated engine failure shortly before reaching TDP or DPATO		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.4.1	Take off with simulated engine failure shortly after reaching TDP, or DPATO		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.5	Climbing and descending turns to specified headings	P	→	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.5.1	Turns with 30 degrees bank, 180 degrees to 360 degrees left and right, by sole reference to instruments	P	→	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.6	Authoritative descents	P	→	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.6.1	Authoritative landing or power recovery		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.7	Landings various profiles		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.7.1	Go around or landing following simulated engine failure before LDP or DPBL		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
2.7.2	Landing following simulated engine failure after LDP or DPBL		P	→		M		<input type="checkbox"/>	<input type="checkbox"/>
					Examiners initials when section completed				





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

7. SECTION 3 Normal and abnormal operations of the following systems and procedures

SECTION 3 Normal and abnormal operations of the following systems and procedures:		FTD	FS	H	Instructors initials when training completed	Mandator y	Chkd in FS/H	Pass	Fail
A mandatory minimum of 3 items shall be selected from this section									
3.1	Engine	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.2	Air conditioning (heating, ventilation)	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.3	Pitot/static system	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.4	Fuel System	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.5	Electrical system	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.6	Hydraulic system	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.7	Flight control and Trim-system	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.8	Anti- and de-icing system	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.9	Autopilot/Flight director	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.10	Stability augmentation devices	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.11	Weather radar, radio altimeter, Transponder	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.12	Area Navigation System	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.13	Landing gear system	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.14	Auxiliary power unit	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
3.15	Radio, navigation equipment, instruments flight management system	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
						Examiners initials when section completed			





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

8. Section 4 Abnormal and emergency procedures

Section 4 Abnormal and emergency procedures:		FTD	FS	H	Instructors initials when training completed	Mandatory	Chkd in FS/H	Pass	Fail
A mandatory minimum of 3 items shall be selected from this section									
4.1	Fire drills (including evacuation if applicable)							<input type="checkbox"/>	<input type="checkbox"/>
4.2	Smoke control and removal	P	→					<input type="checkbox"/>	<input type="checkbox"/>
4.3	Engine failures, shut down and restart at a safe height	P	→					<input type="checkbox"/>	<input type="checkbox"/>
4.4	Fuel dumping (simulated)	P	→					<input type="checkbox"/>	<input type="checkbox"/>
4.5	Tail rotor control failure (if applicable)	P	→					<input type="checkbox"/>	<input type="checkbox"/>
4.5.1	Tail rotor loss (if applicable)	P	→	Helicopter shall not be used for this exercise				<input type="checkbox"/>	<input type="checkbox"/>
4.6	Transmission malfunctions	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
4.	Other emergency procedures as outlined in the appropriate Flight Manual	P	→	→				<input type="checkbox"/>	<input type="checkbox"/>
						Examiners initials when section completed			

9. SECTION 5 Instrument Flight Procedures (to be performed in IMC or simulated IMC):

SECTION 5 Instrument Flight Procedures (to be performed in IMC or simulated IMC):		FTD	FS	H	Instructors initials when training completed	Mandatory	Chkd in FS/H	Pass	Fail
Starred items (*) shall be flown solely by reference to instruments in actual or simulated IMC									
5.1	Instrument take-off: transition to instrument flight is required as soon as possible after becoming airborne	P*	→*	→*				<input type="checkbox"/>	<input type="checkbox"/>
5.1.1	Simulated engine failure during departure	P*	→*	→*		M*		<input type="checkbox"/>	<input type="checkbox"/>
5.2	Adherence to departure and arrival routes and ATC instructions	P*	→*	→*		M*		<input type="checkbox"/>	<input type="checkbox"/>





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

5.3	Holding Procedures	P*	→ *	→ *				<input type="checkbox"/>	<input type="checkbox"/>
5.4	operations to DH/A of 200 feet (60 m) or to higher minima of required by approach procedure								
5.4.1	ILS-approaches down to CAT 1 decision height	P*	→ *	→ *				<input type="checkbox"/>	<input type="checkbox"/>
5.4.2	Manually, without flight director	P*	→ *	→ *		M* (Skill Test only)		<input type="checkbox"/>	<input type="checkbox"/>
5.4.3	Manually, with flight director	P*	→ *	→ *					
5.4.4	With coupled autopilot	P*	→ *	→ *				<input type="checkbox"/>	<input type="checkbox"/>
5.4.5	Manually, with one engine simulated inoperative. (Engine failure has to be simulated during final approach before passing the outer marker (OM) until touchdown or until completion of the missed approach procedure)	P*	→ *	→ *		M*		<input type="checkbox"/>	<input type="checkbox"/>
5.5	Non-precision approach down to the minimum descent altitude MDA/H	P*	→ *	→ *		M*		<input type="checkbox"/>	<input type="checkbox"/>
5.6	Go-around with all engines operating on reaching DA/DH or MDA/MDH	P*	→ *	→ *				<input type="checkbox"/>	<input type="checkbox"/>
5.6.1	Other missed approach procedures	P*	→ *	→ *				<input type="checkbox"/>	<input type="checkbox"/>
5.6.2	Go-around with one engine simulated inoperative on reaching DA/DH or MDA/MDH	P*				M*		<input type="checkbox"/>	<input type="checkbox"/>
5.7	IMC autorotation with power recovery	P*	→ *	→ *		M*		<input type="checkbox"/>	<input type="checkbox"/>
5.8	Recovery from unusual attitudes	P*	→ *	→ *		M*		<input type="checkbox"/>	<input type="checkbox"/>

Examiners initials when section completed





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

10. SECTION 6 Optional equipment

SECTION 6 Optional equipment (Additional authorization on a type rating for instrument approaches down to a decision height of less than 60m (200 ft) (CAT II/III), refer to Appendix -4 to JCAR FCL2.240		FTD	FS	H	Instructors initials when training completed	Mandatory	Chkd in FS/H	Pass	Fai I
6.1	Use of optional equipment	P	→*				M*	<input type="checkbox"/>	<input type="checkbox"/>
6.2	Additional authorization on a type rating for instrument approaches down to a decision height of less than 60 m (200 ft) (CAT II/III). Following maneuvers and procedures are to be trained for the purpose of type rating extension to instrument approach down to a DH of less than 60 m (200 ft). During the following instrument approaches and missed approach procedures all equipment necessary for type certification of instrument approaches down to a decision height of less than 60 m (200 ft) shall be used							<input type="checkbox"/>	<input type="checkbox"/>
6.3	1	P	→*				M*	<input type="checkbox"/>	<input type="checkbox"/>
6.4	2	P	→*				M*	<input type="checkbox"/>	<input type="checkbox"/>
6.5	3 to reaching decision height, furthermore, go-around with airborne equipment failure. Special attention shall be given to go-around procedures with pre-calculated manual or automatic go-around attitude guidance.	P	→*				M*	<input type="checkbox"/>	<input type="checkbox"/>
6.6	4	P	→*					<input type="checkbox"/>	<input type="checkbox"/>
Examiners initials when section completed									





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

11.Details of the flight

Details of the flight		
Helicopter registration or FSTD qualification No.	Rotor stopped/end of FSTD slot	
Departure aerodrome	Rotor turning/start of FSTD slot	
Destination aerodrome	Applicant tested as <input type="checkbox"/> PF <input type="checkbox"/> PNF	Total flight time
Helicopter type and variant	Pilot in command	Other Flight crew

12.REMARKS

REMARKS	
Item no	Comment
<input type="checkbox"/>	Additional items for revalidation/renewal of SP-rating performed successfully. See instructions part J.
Examiner Signature	
Note! Applicants who have completed a type rating course at a ATO must attach the following documents to the application: <ul style="list-style-type: none"> • Course completion certificate. • ATO Approval Certificate. • FSTD qualification certificate. • The Examiners authorization documents including copy of the license. • Copy of the license of the TRI responsible for the aircraft training. 	
Debriefing/Taken parts of comments above	Signature of applicant:

ADDITIONAL INFORMATION REGARDING THE TEST/PC





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

13. AIRCRAFT TRAINING

AIRCRAFT TRAINING			
Aircraft training completed date:			
Place	Date	Aircraft variant	No of landings/flight time /
Signature of TRI	Name in block letters	License number	

Instructions for completing form

ATPL / TYPE RATING SKILL TEST OR PROFICIENCY CHECK FOR SINGLE HELICOPTER

- A.** Please tick the appropriate boxes. If the PC is aimed to revalidate a valid rating, please tick "Revalidation". If the rating has expired, tick the appropriate box for renewal. The applicant must have accomplished an approved recurrent training before PC
- B.** Please enter the complete information. "Type of helicopter" means the relevant class of helicopter according to CARC Class and Type Rating List/License Endorsement list (Helicopters). "Flight time total" is the applicants total flight time on helicopter
- C.** Personal information of the applicant
- D.** This section is to be completed by the Head of Training of the ATO. Please tick if recurrent training completed and if the applicant is approved for renewal PC.
- E.** The result of the test. **Several Single Turbine Engine Helicopters with a maximum take-off mass of 3175 kg or Single Engine Piston Helicopters may be revalidated with one PC. If this is the case, tick applicable box and write each type on a separate line. If not enough lines, use additional information, section J.**
- F.** This section is a checklist of prerequisites for the examiner to check before the test/check. **Please note that the examiner must sign and thus affirm that he has checked all prerequisites before the test.**
- G.** The following limits shall apply corrected to make allowance for turbulent conditions and the handling qualities and performance of the helicopter used:





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi-engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

Height:

Generally	±100 feet
Starting a go-around at decision height/altitude	+50 feet/-0 feet
Minimum descent height/altitude	+50 feet/-0 feet

Tracking:

On radio aids	±5°
“angular” deviations	Half scale deflection, azimuth and glide path

Heading (IFR):

All engines operating	±5°
With simulated engine failure	±10°

Heading (VFR)

Normal operations	±5°
Abnormal operations/emergencies	±10°

Speed (IFR):

All engines operating	±5 knots
With simulated engine failure	+10 knots/-5 knots

Speed (VFR):

Generally	±10 knots
With simulated engine failure	+10 knots/-5 knots

Ground drift (VFR)

T.O. hover I.G.E.	±3 feet
Landing	±2 feet (with 0 feet rearward or lateral flight)

The following symbols mean:

1. P = Trained as Pilot-in-command or Co-pilot and as Pilot Flying (PF) and Pilot Not Flying (PNF) for the issue of a type rating as applicable.
 X = flight simulator

The practical training shall be conducted at least at the training equipment level shown as (P), or may be conducted up to any higher equipment level shown by the arrow (→).

2. The following abbreviations are used to indicate the training equipment used: FS = Flight Simulator
 FTD = Flight Training Device H = Helicopter
3. a) Applicants for the skill test for the issue of the single pilot helicopter type rating shall take only Sections 1 to 4 and, if applicable, Section 6.
 b) Applicants for the revalidation or renewal of the single helicopter type rating





Flight Operations Standards Department/General Aviation & Training Section
skill test and proficiency check for single-engine and multi- engine single-pilot helicopters
type rating, training including proficiency checks for the instrument rating

proficiency check shall take only Sections 1 to 4 and, if applicable Section 6.

- a. Instrument flight procedures (Section 5) shall be performed only by applicants wishing to renew or revalidate an IR(H) for single pilot helicopter or extend the privileges of that rating to another single pilot type.
 - b. The starred items (*) shall be flown in actual or simulated IMC only by applicants wishing to renew or revalidate an IR(H) for - single -pilot helicopter, or extend the privileges of that rating to another type. The starred (*) items of section 5 , shall be flown solely by reference to instruments if revalidation/renewal of an instrument rating is included in the skill test or proficiency check. If the starred (*) items are not flown solely by reference to instruments during the skill test or proficiency check, and when there is no crediting of instrument rating privileges, the type rating will be restricted to VFR only.
4. Where the letter 'M' appears in the skill test/ proficiency check column this will indicate the mandatory exercise.
 5. A flight simulator shall be used for practical training and testing if the flight simulator forms part of an approved type-rating course. The following considerations will apply to the approval of the course:
 - a) the qualification of the flight simulator as set out in JCAR;
 - b) the qualifications of the instructor and examiner ;
 - c) the amount of line-orientated flight training provided on the course;
 - d) the qualifications and previous line operating experience of the pilot under training; and
 - e) the amount of supervised line flying experience provided after the issue of the new type rating.
 6. When a proficiency check on a single-pilot helicopter is performed in a multi-pilot operation in accordance with an AOC Operations Manual, the type rating will be restricted to multi-pilot. See also J below.

H. Details of the flight.

I. Comments regarding tested items please indicate the item commented. The applicant signs that he/she has taken part of the result of the test (it is not a formal acceptance of the result).

J. Additional information regarding the conditions during test, simulators etc or any other information to the licence issuing authority.

If the PC is aimed to revalidate Single Pilot ratings-on the type the applicant shall also demonstrate the following items in the single pilot role:

1. IFR precision approach manually down to DA/DH followed by a go-around OEI (for IR).
2. Engine fire
3. Engine failure before and after TDP
4. Flight and landing AFCS/AP OFF
5. Hydraulic failure including landing (if relevant).

The examiner shall note under **I.** in the protocol if these items have been successfully passed or not.

K. Details of the aircraft training (which shall be given by an authorized TRI according to the approved course) when completed (if pertinent).