ENR 1.14 AIR TRAFFIC INCIDENTS

1. DEFINITION OF AIR TRAFFIC INCIDENTS

- 1.1 "Air Traffic Incident" is used to mean a serious occurrence related to the provision of air traffic services, such as:
- (a) air craft proximity (AIRPROX);
- (b) Serious difficulty resulting in a hazard to aircraft caused for examples by:
- (i) Faulty procedures
- (ii) Non-compliance with procedures, or
- (iii) Failure of ground facilities.
- 1.1.1 Definitions for Aircraft proximity and AIRPROX.

Aircraft proximity

A situation in which, in the opinion of a pilot or air traffic services personnel, the distance between aircraft as well as their relative passions, and speed have been such that the safety of the aircraft involved may been comprised and aircraft proximity is classified as follows:

<u>Risk of collision</u>. The risk classification of an aircraft proximity in which the safety of the aircraft may have been comprised.

<u>Safety not assured</u>. The risk classification of an aircraft proximity in which the safety of the aircraft may have been comprised.

No risk of collision. The risk classification of an aircraft proximity in which no risk of collision has existed.

<u>Risk not determined</u>. The risk classification of an aircraft proximity in which insufficient information was available to determine the risk involved, or inconclusive or conflicting evidence precluded such determination.

AIRPROX. The code word used in an air traffic incident report to designate aircraft proximity.

1.2 Air traffic incidents are designated and identified in reports as follows:

Type Designation
Air traffic incident incident
As a) above AIRPROX (Aircraft proximity)
As b) (i) above Procedure
As b) (iii) above Facility

2. USE OF THE "AIR TRAFFIC INCIDENT REPORTING FORM"

(See model ENR 1.14-3- 1.14-7).

The "Air Traffic Incident Report Form" is intended for use:

a) by a pilot for filing a report on and air traffic incident after arrival or to confirm a report made initially by radio during flight;

NOTE: the form, if available on board, may also be of use in providing a pattern for making the initial report in flight.

b) By an ATS unit for recording an air traffic incident report received by radio telephone or teleprinter.

NOTE: The form may be used as format of the text of a message to be transmitted over the AFS network.

3. REPORTING PROCEDURES (INCLUDING IN -FLIGHT PROCEDURE)

- 3.1 the following are the procedures to be followed by a pilot who is or has been involved in an incident:
 - a) during flight, use the appropriate air/ground frequency for reporting an incident of major significance, particularly if it involves other aircraft, so as to permit the facts to be ascertained immediately:
 - b) as promptly as possible after landing submit a completed "Air Traffic Incident Report Form";
 - 1) For confirming a report of an incident made initially as in a) above, or for making the initial report on such an incident if it had not been possible to report it by radio.
 - For reporting and incident this did not require immediate notification at the time of occurrence.
- 3.2 An initial report made by radio should contain the following information:
- a) aircraft identification;
- b) type of incident, e.g. aircraft proximity;
- c) the incident; 1.a) and b); 2.a), b), c), d), n); 3.a), b), c), i); 4.a), b);
- d) Miscellaneous; 1. e).
- 3.3 the confirmatory report on an incident of major significance initially reported by radio or the initial report on any other incident should be submitted to :

Director of Accident Investigation Unit

Civil Aviation Authority

P.O.BOX:7547 Amman-Jordan

TEL: ++962 6 4893576 FAX: ++962 6 4875105

E-mail: Investigation@jcaa.gov.jo

Or the ATS Reporting Office of the aerodrome of first landing for submission to Director of Accident Investigation Unit. The pilot should complete the AIR Traffic Indecent Report Form supplementing the details of the initial reports as necessary.

NOTE: Where there is not ATS Reporting Office, the report may be submitted to another ATS UNIT.

4. PURPOSE OF REPORTING AND HANDLING OF THE FORM

- 4.1 The purpose of the reporting of aircraft proximity incidents and their investigation is to promote the safety of aircraft. The degree of risk involved in aircraft proximity should be determined in the incident investigation and classified as "risk of collision", "safety not assured", "no risk of collision" or "risk not determined.
- 4.2 the purpose of the form is to provide investigatory authorities with as complete information on an air traffic incident as possible and to enable them to report back with the least possible delay to the pilot or operator concerned, the result of the investigation of the incident and , if appropriate, the remedial action taken.

AIR TRAFFICE INCIDENT REPORT FORM				
For use when submitting and receiving reports on air traffic incidents. In an initial report by radio, shaded items should be included.				
A- AIRCRAFT IDENTIFICATION	B- TYPE OF INCIDENT			
	AIRPROX / PROCEDURE / FA	CILITY*		
C- THE INCIDENT	•			
1. General				
a) Date/time of incident UTC				
b) Position				
2. Own aircraft				
a) Heading and route				
b) True airspeed	measured in () kt	() km/h		
c) Level and altimeter setting				
d) Aircraft climbing or descending				
() Level flight	() Climbing	() Descending		
e) Aircraft bank angle				
() Wings level	() Slight bank	() Moderate bank		
() Steep bank	() Inverted	() Unknown		
f) Aircraft direction of bank				
() Left	() Right	() Unknown		
g) Restrictions to visibility (select as mar	ny as required)			
() Sunglare	() Windscreen pillar	() Dirty windscreen		
() Other cockpit structure	() None			
h) Use of aircraft lighting (select as many	y as required)			
() Navigation lights	() Strobe lights	() Cabin lights		
() Red anti-collision lights	() Landing/taxi lights	() Logo (tail fin) lights		
() Other	() None			
i) Traffic information issued				
() Yes, based on radar	() Yes, based on visual sighting	() Yes, based on other information		
() No				
j) Traffic information issued				
() Yes, based on radar	() Yes, based on visual sighting	() Yes, based on other information		
() No				
k) Airborne collision avoidance system –	ACAS			
() Not carried	() Type	() Traffic advisory issued		
•	() Traffic advisory or resolution advisor	ory not issued		
l) Radar identification				
	() Radar identification	() No radar identification		
m) Other aircraft sighted				
() Yes	() No	() Wrong aircraft sighted		

^{*}Delete as appropriate

n) Avoiding action taken		
() Yes	() No	
o) Type of flight plan	IFR / VFR / none*	
3. Other aircraft		
a) Type and call sign / registration (if k	nown)	
b) If a) above not known, describe bello	ow .	
() High wing	() Mid wing	() Low wing
() Rotorcraft		
() 1 engine	() 2 engines	() 3 engines
() 4 engines	() More than 4 engines	
Marking, colour or other available details	S	
c) Aircraft climbing or descending	() G !! 11	() 5
() Level flight	() Climbing	() Descending
() Unknown		
d) Aircraft bank angle	() (III 1 - 1 - 1	
() Wings level	() Slight bank	() Moderate bank
() Steep bank	() Inverted	() Unknown
e) Aircraft direction of bank	() D:-1-4	() Halan area
() Left f) Lights displayed	() Right	() Unknown
	() Strobe lights	() Cohin lights
() Navigation lights () Red anti-collision lights	() Strobe lights() Landing/taxi lights	() Cabin lights () Logo (tail fin) lights
() Other	() None	() Logo (tan rin) rights
g) Traffic avoidance advice issued by A		
() Yes, based on radar	() Yes, based on visual sighting	() Yes, based on other information
() No	() Unknown	() Tes, based on other information
h) Traffic information issued	(, 5	
() Yes, based on radar	() Yes, based on visual sighting	() Yes, based on other information
() No	() Unknown	() - 1-2, - 1.300 31. 31.01. 11.01.11.01.
i) Avoiding action taken		
() Yes	() No	() Unknown

^{*}Delete as appropriate

4. Di	Distance	
a)	Closest horizontal distance	
b)	o) Closest vertical distance	
5. Fli	Flight weather conditions	
a)	i) IMC / VMC*	
b)	o) Above / below* clouds / fog / haze or between layers*	
c)	e) Distance vertically from cloud m / ft* below m / ft	* above
d)	l) In cloud / rain / snow / sleet / fog / haze*	
e)	e) Flying into / out of* sun	
f)) Flight visibility — m / km*	
6. Aı	Any other information considered important by the pilot – in – command	
	MISCELLANEOUS	
1. In	Information regarding reporting aircraft	
a)	a) Aircraft registration	
b)	o) Aircraft type	
c)	c) Operator	
d)	Aerodrome of departure	
	Aerodrome of first landing	
e)	destination	
f)	Reported by radio or other means to	name of ATS unit) at time UTC
g)	g) Date / time / place of completion of form	
2. Fu	Function, address and signature of person submitting report	
a)	i) Function	
b)	o) Address	
c)	e) Signature	
d)	Telephone number	
3. Function, and signature of person receiving report		
a)	a) Function ————————————————————————————————————	
1		

^{*}Delete as appropriate

E- SUPPLEMENTARY INFORMATION BY ATS UNIT C	ONCERNED
1. Receipt of report	
a) Report received via AFTN / radio / telephone / other (specify)*	
b) Report received by	(name of ATS unit)
2. Details of ATS action	
Clearance, incident seen (radar/visually, warning given, result of loc	al enquiry, etc.)
DIAGRAMS (OF AIRPROX
Mark passage of other aircraft relative to you, in plan on the left and in diagram. Include first sighting and passing distance.	elevation on the right, assuming YOU are at the centre of each
ulagram. Include first signing and passing distance.	
Hundreds of metres	Hundreds of metres
1413121110 9 8 7 8 5 4 3 2 1 0 1 2 3 4 5 6 7 8 9 1011121314	14 13 12 11 10 9 8 7 6 5 4 3 2 1 0 1 2 3 4 5 8 7 8 9 10 11 12 13 14
8 7 6	300 S21
5 4 3 2	
	1 0 1 1 2
2 3	3 4 90 120
5 6 7	5 6 150 6 180 7 7 210 210
8 9 10	9 270 300
VIEW FROM ABOVE	VIEW FROM ASTERN

*Delete as appropriate

AIP
JORDAN
ENR 1.14-7
01 FEB 2007

Instructions for the completion of the Air Traffic Incident Report Form

Item	
A	Aircraft identification of the aircraft filing the report
В	An AIRPROX report should be filed immediately by radio
C1	Date/time UTC and position in bearing and distance from a navigation aid or in LAT/LONG
C2	Information regarding aircraft filing the report, tick as necessary.
C2 c)	E.g. FL 350/1 013 hPa or 2500 ft /QNH 1 007 hPa or 1 200 ft/QFE 998 hPa.
C3	Information regarding the other aircraft involved.
C4	Passing distance – state units used.
C6	Attach additional papers as required. The diagrams may be used to show aircraft's positions.
D1 f)	State name of ATS unit and date/time in UTC.
D1 g)	Date and time in UTC.
E2	Include details of ATS unit such as service provided, radiotelephony frequency, SSR Codes assigned and altimeter setting. Use diagram to show the aircraft's position and attach additional papers as required.