


**AERODROME ELEV 2396 ft**  
HEIGHTS RELATED TO  
THR RWY 26R — ELEV 2395 ft

|      |       |
|------|-------|
| ATIS | 127.6 |
| APP  | 128.9 |
| TWR  | 119.8 |

**ILS Z RWY 26R**



|           |      |      |      |      |      |      |      |      |                                                      |  |  |  |  |  |  |  |  |  |
|-----------|------|------|------|------|------|------|------|------|------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| NM to DME | IQAR | 2    | 3    | 4    | 5    | 6    | 7    | 8    | TRANSITION ALTITUDE 13000<br>TRANSITION LEVEL FL 150 |  |  |  |  |  |  |  |  |  |
| ALTITUDE  |      | 3030 | 3360 | 3680 | 4010 | 4330 | 4660 | 5000 |                                                      |  |  |  |  |  |  |  |  |  |

<



## Holding instruction

| <i>Path<br/>Descriptor</i> | <i>Waypoint<br/>Identifier</i> | <i>Inbound<br/>Course<br/>°M (°T)</i> | <i>Leg<br/>Distance</i> | <i>Turn<br/>direction</i> | <i>Minimum<br/>Altitude<br/>(ft/FL)</i> | <i>Maximum<br/>Altitude<br/>(ft/FL)</i> | <i>Speed<br/>Limit<br/>(kt)</i> | <i>Magnetic<br/>Variation</i> | <i>Navigation<br/>Specification</i> |
|----------------------------|--------------------------------|---------------------------------------|-------------------------|---------------------------|-----------------------------------------|-----------------------------------------|---------------------------------|-------------------------------|-------------------------------------|
| Hold                       | EGPIL                          | 346<br>(351.0)                        |                         | L                         | 7000                                    | 14000                                   | 220                             | +5.0                          | RNAV 1                              |
| Hold                       | VEDAD                          | 269<br>(274.0)                        |                         | R                         | 5300                                    | 8000                                    | 210                             | +5.0                          | RNAV 1                              |

## Route Description: IAC RNP ILS Z RWY 26R

| RNP ILS Z RWY 26R        |                            |                                |                           |                           |                               |                          |                           |                             |                             |                           |                                     |
|--------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|-------------------------------|--------------------------|---------------------------|-----------------------------|-----------------------------|---------------------------|-------------------------------------|
| <i>Serial<br/>Number</i> | <i>Path<br/>Descriptor</i> | <i>Waypoint<br/>Identifier</i> | <i>Fly<br/>-<br/>Over</i> | <i>Course<br/>°M (°T)</i> | <i>Magnetic<br/>Variation</i> | <i>Distance<br/>(NM)</i> | <i>Turn<br/>direction</i> | <i>Altitude<br/>(ft/FL)</i> | <i>MAX<br/>IAS<br/>(kt)</i> | <i>VPA/TCH<br/>(°/ft)</i> | <i>Navigation<br/>Accuracy (NM)</i> |
| 10                       | IF                         | ORDEN                          | -                         | -                         | -                             | -                        | -                         | +5300                       | -230                        | -                         | RNP APCH                            |
| 20                       | TF                         | SOLIN                          | -                         | 166<br>(170.5)            | +5.0                          | 5.7                      | -                         | +5300                       | -210                        | -                         | RNP APCH                            |
| 10                       | IF                         | EGPIL                          | -                         | -                         | -                             | -                        | -                         | +7000                       | -250                        | -                         | RNP APCH                            |
| 20                       | TF                         | AI526                          | -                         | 346<br>(350.6)            | +5.0                          | 6.8                      | -                         | -                           | -                           | -                         | RNP APCH                            |
| 30                       | TF                         | SOLIN                          | -                         | 346<br>(350.6)            | +5.0                          | 8.8                      | -                         | +5300                       | -210                        | -                         | RNP APCH                            |
| 10                       | IF                         | VEDAD                          | -                         | -                         | -                             | -                        | -                         | +5300                       | -230                        | -                         | RNP APCH                            |
| 20                       | TF                         | SOLIN                          | -                         | 269<br>(273.7)            | +5.0                          | 3.6                      | -                         | +5300                       | -210                        | -                         | RNP APCH                            |
| 10                       | IF                         | SOLIN                          | -                         | -                         | -                             | -                        | -                         | +5300                       | -210                        | -                         | RNP APCH                            |
| 20                       | TF                         | AI507                          | -                         | 256<br>(260.5)            | +5.0                          | 4.4                      | -                         | +5300                       | -                           | -                         | RNP APCH                            |
| 30                       | TF                         | RW26R                          | Y                         | 256<br>(260.5)            | +5.0                          | 8.7                      | -                         | @2445                       | -                           | -3.0/<br>52               | RNP APCH                            |
| 40                       | CF                         | TOTEK                          | Y                         | 255<br>(260.4)            | +5.0                          | 2.4                      | -                         | -                           | -                           | -                         | RNP APCH                            |
| 50                       | DF                         | OBTEL                          | Y                         | -                         | -                             | -                        | -                         | +6000                       | -250                        | -                         | RNP APCH                            |
| 60                       | HM                         | OBTEL                          | Y                         | 165<br>(170.0)            | +5.0                          | 4.5                      | R                         | -10000<br>+6000             | -220                        | -                         | RNP APCH                            |

**Aeronautical Data Tabulation: IAC RNP ILS Z RWY 26R**

| WAYPOINT LIST  |                |                 |
|----------------|----------------|-----------------|
| Waypoint / Fix | Latitude       | Longitude       |
| ORDEN          | 31°51'45.200"N | 036°14'34.763"E |
| SOLIN          | 31°46'06.956"N | 036°15'40.791"E |
| EGPIL          | 31°30'37.923"N | 036°18'41.447"E |
| AI526          | 31°37'23.717"N | 036°17'22.663"E |
| VEDAD          | 31°45'52.847"N | 036°19'54.051"E |
| AI507          | 31°45'23.210"N | 036°10'34.368"E |
| RW26R          | 31°43'56.083"N | 036°00'27.481"E |
| TOTEK          | 31°43'32.348"N | 035°57'43.273"E |
| OBTEL          | 31°46'28.170"N | 035°42'56.686"E |