


INSTRUMENT
APPROACH
CHART — ICAOAERODROME ELEV 2396 ft
HEIGHTS RELATED TO
THR RWY 26R — ELEV 2395 ftATIS 127.6
APP 128.9
TWR 119.8

AMMAN/Queen Alia International (OJAI)

RNP RWY 26R




NM to THR	RWY26R	1	2	3	4	5	6	7	8
ALTITUDE		2770	3080	3400	3720	4040	4360	4680	4990

TRANSITION ALTITUDE 13000
TRANSITION LEVEL FL 150

MISSED APPROACH:

Climb to **TOTEK** on course **255°M**, then turn **right** direct to **OBTEL** (MAX 250 kt IAS) at **6000** (3605) and hold or follow ATC instructions.
If unable to reach holding altitude, continue to climb in the holding.



NM to THR RWY 26R

OCA (H)	A	B	C	D													
LNAV / VNAV	2630 (235)	2650 (255)	2660 (265)	2670 (275)	GS	kt	70	85	100	115	130	145	160	185			
LNAV	2750 (355)				FAF-MAPT 9.0 NM	min:s	7:41	6:19	5:23	4:40	4:08	3:42	3:22	2:54			
CIRCLING	3020 (625)		3310 (915)	3500 (1105)	Rate of descent 5.2%	ft/min	370	450	530	610	690	770	850	980			

Holding instruction

<i>Path Descriptor</i>	<i>Waypoint Identifier</i>	<i>Inbound Course °M (°T)</i>	<i>Leg Distance</i>	<i>Turn direction</i>	<i>Minimum Altitude (ft/FL)</i>	<i>Maximum Altitude (ft/FL)</i>	<i>Speed Limit (kt)</i>	<i>Magnetic Variation</i>	<i>Navigation Specification</i>
Hold	EGPIL	346 (351.0)		L	7000	14000	220	+5.0	RNAV 1
Hold	VEDAD	269 (274.0)		R	5300	8000	210	+5.0	RNAV 1

Route Description: IAC RNP RWY 26R

RNP RWY 26R											
<i>Serial Number</i>	<i>Path Descriptor</i>	<i>Waypoint Identifier</i>	<i>Fly - Over</i>	<i>Course °M (°T)</i>	<i>Magnetic Variation</i>	<i>Distance (NM)</i>	<i>Turn direction</i>	<i>Altitude (ft/FL)</i>	<i>MAX IAS (kt)</i>	<i>VPA/TCH (°/ft)</i>	<i>Navigation Accuracy (NM)</i>
10	IF	ORDEN	-	-	-	-	-	+5300	-230	-	RNP APCH
20	TF	SOLIN	-	166 (170.5)	+5.0	5.7	-	+5300	-210	-	RNP APCH
10	IF	EGPIL	-	-	-	-	-	+7000	-250	-	RNP APCH
20	TF	AI526	-	346 (350.6)	+5.0	6.8	-	-	-	-	RNP APCH
30	TF	SOLIN	-	346 (350.6)	+5.0	8.8	-	+5300	-210	-	RNP APCH
10	IF	VEDAD	-	-	-	-	-	+5300	-230	-	RNP APCH
20	TF	SOLIN	-	269 (273.7)	+5.0	3.6	-	+5300	-210	-	RNP APCH
10	IF	SOLIN	-	-	-	-	-	+5300	-210	-	RNP APCH
20	TF	AI507	-	256 (260.5)	+5.0	4.4	-	+5300	-	-	RNP APCH
30	TF	RW26R	Y	256 (260.5)	+5.0	8.7	-	@2445	-	-3.0/ 52	RNP APCH
40	CF	TOTEK	Y	255 (260.4)	+5.0	2.4	-	-	-	-	RNP APCH
50	DF	OBTEL	Y	-	-	-	-	+6000	-250	-	RNP APCH
60	HM	OBTEL	Y	165 (170.0)	+5.0	4.5	R	-10000 +6000	-220	-	RNP APCH

Aeronautical Data Tabulation: IAC RNP RWY 26R

WAYPOINT LIST		
Waypoint / Fix	Latitude	Longitude
ORDEN	31°51'45.200"N	036°14'34.763"E
SOLIN	31°46'06.956"N	036°15'40.791"E
EGPIL	31°30'37.923"N	036°18'41.447"E
AI526	31°37'23.717"N	036°17'22.663"E
VEDAD	31°45'52.847"N	036°19'54.051"E
AI508	31°45'25.387"N	036°10'49.240"E
RW26R	31°43'56.083"N	036°00'27.481"E
TOTEK	31°43'32.348"N	035°57'43.273"E
OBTEL	31°46'28.170"N	035°42'56.686"E